

# MISCELLANEOUS

## CABINET/CLOSET HARDWARE


### CAL-ROYAL

#### CR-DIFP218

US3, 5, 15, 15A, 26, 26D  
 Drive in  
 Finger Pull  
 2-1/8" Dia.  
 No nails



### DON-JO



#### DJ-1590

Finishes: 605, 625  
 Material: Cast.

### IVES

4 per bag.  
 Sold by the bag

#### Finger Pull

- Ideal for use on sliding doors.
- Easy installation.
- Made from wrought brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B22201 and A156.14 D2781.
- Dimensions: Inside Cup Diameter: 3/4"; Overall Diameter: 1"; Depth: 5/16"



Stock No. (Specify Finish)  
**IV-218BB**

Finishes: 3, 10, 15, 15A, 26

#### Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Extra deep recess and reverse tapered grip provide for ease of pulling and gripping.
- Made from wrought brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B22201 and A156.14 D2781.
- Dimensions: 1-5/16" H x 3-1/8" W x 7/16" D.

### IVES



Stock No. (Specify Finish)  
**IV-22B**

Finishes: 3, 10B, 15, 15A, 26, 26D

#### Flush Pull

- Ideal for use on sliding doors.
- Built-in prong design eliminates the need for screws or brads and facilitates installation.
- Packed with two escutcheon pins for added holding power.
- Made from wrought brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B22201 and A156.14 D2781.
- Dimensions: Inside Cup Diameter: 2-1/8"; Overall Diameter: 2-7/16"; Depth: 7/16"

### IVES



Stock No. (Specify Finish)  
**IV-221B**

Finishes: 3, 5, 10, 10B, 15, 15A, 26, 26D

#### Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Reverse tapered grip provide for ease of pulling.
- Made from cast brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B12201 and A156.14 D1781.
- Dimensions: 3-1/8" H x 1-5/8" W x 7/16" D.

### IVES




Stock No. (Specify Finish)  
**IV-222B**

Finishes: 3, 10B, 15, 26, 26D

# MISCELLANEOUS

## CABINET/CLOSET HARDWARE



**Stock No. (Specify Finish)**  
**IV-223B**

Finishes: 3, 10B, 15, 15A, 26

### Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Made from wrought brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B22201 and A156.14 D2781.
- Dimensions: 3-9/16" H x 1-5/16" W x 1/2" D

**Stock No. (Specify Finish)**  
**IV-227B**

Finishes: 3, 10, 10B, 15A, 26

### Flush Pull

- Contoured for ease of pulling.
- Extra deep well.
- Deluxe quality.
- Made from wrought brass.
- Conforms to design requirements of ANSI/BHMA A156.9 B22201 and A156.14 D2781.
- Dimensions: 3-5/8" H x 1-3/4" W x 9/16" D

### Elbow Catch

- Ideal for use on the inactive leaf of a pair of cabinet doors.
- Surface applied, making installation simple.
- Made from cast brass or cast aluminum.
- Conforms to design requirements of ANSI/BHMA A156.9.
- Dimensions:  
Plate: 1-3/8" x 5/8"  
Strike: 13/16" x 5/8"



**Stock No. (Specify Finish)**

**IV-2A** Aluminum  
Finishes: 3, 5, 14, 15, 92, 716  
**IV-2MB** Brass  
Finishes: 10B




### Round Knob

- Two diameters stocked: 1" and 1-1/4".
  - Made from wrought brass.
  - Furnished with a No. 8-32 machine screw, 1-1/8" long.
  - Conforms to ANSI/BHMA A156.9 B22131.
- | Model & Diameter | Projection |
|------------------|------------|
| 521 1"           | 15/16"     |
| 521 1 1/4"       | 1-1/8"     |



**Stock No. (Specify Finish)**

**IV-521B** \* 1" 1" Diameter  
**IV-521B** \* 1-1/4" 1-1/4" Diameter  
\*Finishes: 3, 10B, 15, 15A, 26, 26D



**Stock No. (Specify Finish)**

**IV-585F3**  
Finishes: 3

### Closet Pole Sockets

- Flange design prevents accidental knock out of pole.
- Made from wrought steel.
- Accommodates pole or pipe with outside diameter of 1-3/8".
- Packed in pairs.

**Stock No. (Specify Finish)**

**IV-586P**  
Finishes: White Plastic

### Closet Pole Sockets

- Made from a heavy duty plastic for long life and extra strength.
- Single screw mounting.
- Accommodates pole or pipe with outside diameter of 1-3/8".

©ZIPF LOCK COMPANY



See page 446 for Cal Royal, Don Jo, Ives finish descriptions.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

427v2  
(PL-42)

# MISCELLANEOUS

## Folding Door Lock




### ST-1064 US-3

Positive locking action. Easy to mount. Only one 3/4" hole needed in one door. Strike is mounted on back side of opposite panel or on striking jamb. Key may be removed in either locked or unlocked position. Two keys per lock. Fits doors from 3/4" to 1-3/8" thick.

## —STERLING—

## Sliding Door Lock

US-3 Polished Brass  
US-26D Satin Chrome



### ST-1068 US-3, 26D

A truly quality wardrobe lock. Patented, positive-action design with lock cylinder geared directly to the tongue. One half turn of key locks or unlocks. Fits doors 3/4" to 1-3/4" thick. Two keys per lock.

## CRASH STOP (CHAIN)

### CAL-ROYAL



#### CR-HDCDV48 26D

Adjustable Chain Door Stop (20" to 30-1/2")  
(Ives #115)

## CAL-ROYAL

### CR-ESBUL-50

US26D  
UL Listed 8" Heavy Duty Surface Bolt. Steel Construction.  
(Ives #453)  
Bolt Throw: 1-3/16"  
Length: 8"  
Width: 1"  
Projection: 1-5/8"



## DOOR BOLTS



Stock No. **CR-SB873** Length 3" Bolt Finish US-15A, 26  
Brass Surface Bolt  
(Poly Packed w/screws)


### CR-ESBUL-12

US26D  
UL Listed 12" Heavy Duty Surface Bolt. Steel Construction.  
Bolt Throw: 1-3/16"  
Length: 12"  
Width: 1"  
Projection: 1-5/8"



## COMBI-BOLT

**10,000 Possible Combinations**



Stock No. **CB-2000 BLACK**  
Black finish

- Great for gates and sheds.
- 10,000 possible combinations.
- Easily set your combination anytime.
- Permanent screw mounts.
- Heavy duty solid metal bolt & construction.
- Functionality/simplicity of sliding bolt while providing additional security.
- Ideal for outdoor use, totally rustproof.
- Easy to install in variety of applications.
- Easily converts from right hand to left hand doors.

©ZIPF LOCK COMPANY

428 v1  
(PL-42)

See page 446 for Cal Royal, Don Jo, Ives finish descriptions.  
SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.