



MISCELLANEOUS PARTS



AR-4580
Cam disc, reversible



28-0064-02 Right Hand
Replacement spring for 4160
handle.



31-0485 (HY485)
Spindle for 4160 handle.

**TWIN/6000 SERIES
TWIN EXCLUSIVE SERIES**

ASSA




Pins and Springs

- AS-867065** Cylinder spring
- AS-867066** Top pin 1-2
- AS-867067** Top pin 3-4
- AS-867068** Top pin 5-6
- AS-867069** Top pin 7-8-9
- AS-867070** Master Pin 1
- AS-867071** Master Pin 2
- AS-867072** Master Pin 3
- AS-867073** Master Pin 4
- AS-867074** Master Pin 5
- AS-867075** Master Pin 6
- AS-867076** Master Pin 7
- AS-867077** Master Pin 8
- AS-867078** Bottom pin 1
- AS-867079** Bottom pin 2
- AS-867080** Bottom pin 3
- AS-867081** Bottom pin 4
- AS-867082** Bottom pin 5
- AS-867083** Bottom pin 6
- AS-867084** Bottom pin 7
- AS-867085** Bottom pin 8
- AS-867086** Bottom pin 9
- AS-867015** Side pin (Twin)
- AS-353837** Right Hand Side Pin (V-10)
- AS-353838** Left Hand Side Pin (V-10)
- AS-867087** Side pin spring (Twin)
- AS-867088** Side bar spring (Twin)
- AS-868141** Pin chamber closing strip-
for Mort, Rim, KIK

\$-Discontinued. Call for
closeout prices.

Cams & Tailpieces

- AS-867445** #1 Adams Rite Cam
- AS-867447** #4 Corbin Bever Tail Cam
- AS-867452** #2 Sargent Cam
- AS-867453** #6 Schlage "L" Cam
- AS-867450** Horizontal & Vertical Rim Tailpiece Kit
- AS-872610** #5 Yale/Standard Cam



Screws

- \$AS-867090** Phillips Screw For Cam (being discontinued)
- AS-868138** Slotted Screw For Rim Tailpiece
- AS-900209** Kit, includes plate and 2 screws

INTERCHANGEABLE CORE PARTS



AR-001



AR-AM2



AR-004

N Series, Exit
Devices, Alarms



AR-006

Schlage



AR-18

Adams Rite



AR-100CR-44-201



AR-550CR-44-201



AR-HSCR-44-201

MISCELLANEOUS PARTS

| Stock No. | Description |
|------------------------------------|---|
| AR-100CR-44-201* | 6/7 pin tailpiece assembly for "H" Series IC |
| AR-550CR-44-201 | 6/7 pin tailpiece assembly for "MK" Series IC |
| AR-HSCR-44-201* | 6/7 pin tailpiece assembly for "Q" & "ML" Series IC |
| *Will not fit 15 and 19 functions. | |
| AR-3-48 X 3/16 | Mortise Cylinder Cam Set Screw |
| AR-C16CR-122 | Mortise Cylinder Washer |
| AR-C16CR-121A | Mortise Cylinder Adaptor Assembly - 7 pin |

Deadbolt Parts

- \$AS-806268*** Spacer ring for 1-3/8" thick door
- \$AS-806269*** Adaptor ring for 2-/8" dia. hole

*Specify Finish: 605, 609, 624, 626

©ZIFF LOCK COMPANY


MISCELLANEOUS PARTS

MISCELLANEOUS PARTS

Kwikset

SPINDLES

*Limited Availability
Discontinued by factory*



- KW-4738** 640 Series Spindle Assembly
- KW-5334** 401, 404, 411, 414, 451 Spindle Assembly
- KW-5344** 300 Spindle Assembly

SCREWS

Limited Availability - Discontinued by factory

- KW-2715** 665 One Way Interior Screw (Old Style)
 - KW-2761** 660 Regular Interior Screw (Old Style)
 - KW-3224** 885 One Way Oval Head Screw
 - KW-3225** 885 Regular Interior Screw
 - KW-4424** 880/885 Mounting Studs
 - KW-6070** 660/870 Regular Interior Screw (New Style)
 - KW-6071** 665/875 Regular Interior Screw (New Style)
 - KW-6118** 665/875 One Way Oval Head Screw
- Stock US-3 finish on above parts.

660/665 SCREW PACKS


- KW-86099** For 665 US-3
- KW-86171** For 660 3, 11P, 26D

THICK DOOR KITS


- KW-81248** 980/982/980S/982S Deadbolts
- KW-81249** 985/984/985S/984S Deadbolts
- KW-81691** 780 Deadbolts
- KW-84221** 785 Deadbolts
- KW-86129** 660 Deadbolts US-3
- KW-86130** 665 Deadbolts US-3
- KW-81714** Signature Knobs: A, CA, H, L
- KW-81706** For: CN, C, LL, TNL, P, T, CHL, DL, DNL, BL, ADL, AVL, BRL, PML in US-3

PIN AND SPRING REFILLS FOR KWIKSET:


| Descriptions | *Stock # |
|----------------------------------|------------------|
| Tumbler Springs | LB-KW1777 |
| PK Balls | KW-82208 |
| .180 Driver Pin (Top) | LB-KW1858 |
| .180 Regular Anti-pick Pin (Top) | KW-80370 |
| .160 PK Pin (Top) | KW-83117 |
| .160 PK Anti-pick Pin (Top) | KW-80369 |
| .172 Bottom Pin-#1 | LB-KW3100 |
| .195 Bottom Pin-#2 | LB-KW3101 |
| .218 Bottom Pin-#3 | LB-KW3103 |
| .241 Bottom Pin-#4 | LB-KW3105 |




KW-84215
Plug Clip (Deadbolt)



KW-84345
Plug Clip (Lockset)




KW-81892
For installing dummies on hollow core doors.
US-3, 5, 15, 15A, 26, 26D



KW-85757 5 Pin
KW-83561 6 Pin
Tumbler Pin Cover

TORQUE BLADES FOR: 630/660/780/880



- KW-84991** Std. Door 630/660/780/880 Torque Blade—1-3/8" - 1-3/4"
- KW-84992** Thick Door 630/660/780/880 Torque Blade—1-7/8" - 2-1/4"
- KW-84987** Std. Door 635/665/785/885 Torque Blade Exterior—1-3/8" - 1-3/4"
- KW-84993** Std. Door 635/665/780/885 Torque Blade Interior—1-3/8" - 1-3/4"
- KW-84988** Thick Door 635/665/785/885 Torque Blade Exterior—1-7/8" - 2-1/4"
- KW-84994** Thick Door 635/665/785/885 Torque Blade Interior—1-7/8" - 2-1/4"

664 CONVERSION KIT

KW-664 US-3, 5, 26D For converting Kwikset 663 (one sided deadbolt) to a 667 (one sided w/exterior plate). Kit includes: Blank plate, screws and torque blade.

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

417^{v1}
(PL-41)

MISCELLANEOUS PARTS


MODULAR CYLINDER PARTS



Note-Pictured smaller than actual size.

CAMS FOR MODULAR MORTISE CYLINDERS

- SC-L583-476** L9060 for cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-477** L9060 for cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-B520-743** For Adams Rite 4070: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-B520-744** For Adams Rite 4070: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-446** For Adams Rite MS: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-447** For Adams Rite MS: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-474** L Series: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-475** L Series: cylinder length 1-1/4", 1-1/2" and 1-3/4"




SC-L583-274
SC-L583-275



SC-L583-476
SC-L583-477

CAM SCREWS FOR MODULAR MORTISE CYLINDERS

- SC-B520-690** For 1-1/8" and 1-1/4" cylinder lengths (5-40 x 1/2")
- SC-B520-691** For 1-3/8" and 1-1/2" cylinder lengths (5-40 x 3/4")
- SC-B520-692** For 1-5/8" and 1-3/4" cylinder lengths (5-40 x 1")



SC-B520-743
SC-B520-744

SC-L583-446
SC-L583-447

MODULAR CYLINDER HOUSING SCREWS

- SC-B520-693** Modular housing screw (8-32 x 7/8")

PLUG EXTENSIONS FOR MODULAR CAMS

- SC-B590-298** For 1-3/8" and 1-1/2" lengths
- SC-B590-299** For 1-5/8" and 1-3/4" lengths



MODULAR CYLINDER TAILPIECES

- SP-A301-337*** A & H Series: For Classic, Everest & Primus (not A73, A85 or ORB)
- SP-A301-338** A & H Orbit: For Classic, Everest & Primus
- SP-N523-022** ND Series: For Classic, Everest & Primus
- SC-B502-899** Rim cylinder tailpiece

*requires C603-098 disc.



SPECIAL CAMS FOR SCHLAGE MORTISE CYLINDERS TO OPERATE OTHER MANUFACTURERS' LOCKS

| <i>Note-Cams pictured smaller than actual size.</i> | Classic Conventional (not modular cylinders) 20-001 | Interchangeable Core 20-061, 20-771, 26-090 80-102, 80-132, 80-302 | Everest & Primus 20-001 Everest 20-500 & 20-700 Primus |
|--|---|---|---|
| Corbin/Ruswin® DL4000 Series. (Old Corbin 420 & Ruswin 1503) | SC-B520-295 | SC-B520-254 | SP-B520-366 |
| Corbin/Ruswin® ML2200 Series. All functions except ML2255 & ML2242 inside. | SC-B520-233 | SC-B520-253 | SP-B520-309 |
| Corbin/Ruswin® A65 ML2200 master ring deadbolt functions manufactured before 6/10/93 Ruswin Old cast iron residential locks | SC-B520-223 | SC-B520-360 | SP-B520-367 |
| Sargent® 13-0660. All functions except 16 inside and 50 outside. Yale®-2160 Arrow®-#004 | SC-B520-256 | SC-B520-296 | SP-B520-329 |

©ZIPF LOCK COMPANY

418 v2

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

(PL-41)

MISCELLANEOUS PARTS

SPECIAL CAMS

Cams pictured smaller than actual size.

CAMS FOR COMPETITORS' CYLINDERS IN SCHLAGE LOCKS



SC-L583-197
For: Sargent and Yale non-IC



SC-L583-198
For: Corbin/Ruswin non-IC


Above items may have limited availability or are by special order. Please call for details.

STANDARD & I/C CAMS

Cams pictured smaller than actual size.



SC-B502-191



SC-B502-292



SC-B502-380



SC-L583-254

NOTE: Above cams will NOT work in Schlage's modular cylinders. See previous page for modular cylinder cams.



SC-B520-378



SC-L583-255



SC-K510-711



SC-K510-730

MORTISE CYLINDER CAMS/PARTS

| Stock No. | Description (Most Pictured above) |
|--------------------|---|
| SC-B502-468 | Mortise Cylinder Classic conventional cam screw up to 1-3/8". |
| SC-B502-191 | Mortise Cylinder-Classic conventional standard cam. |
| SC-B502-292 | Mortise Cylinder-Classic conventional cam for Adams Rite MS |
| SC-B502-380 | Mortise Cylinder-Classic conventional cam for Adams Rite 4070 series. |
| SC-L583-254 | Mortise Cylinder-L Series classic conventional cam. |
| SC-K510-474 | Friction washer for Full Size Interchangeable core Mortise housing. |
| SC-B520-378 | SFIC & Full Size Interchangeable Core cam for Adams Rite 4070 series. |
| SC-L583-255 | Mortise Cylinder-L Series SFIC & Full Size Interchangeable Core cam (except L9060 outside). |
| SC-K510-711 | Mortise Cylinder-SFIC & Full Size Interchangeable Core cam for Adams Rite MS.. |
| SC-K510-730 | Mortise Cylinder-Straight Cam for SFIC & Full Size Interchangeable core. |

PRIMUS CAMS

Cams pictured smaller than actual size.

| Stock No. | Description |
|--------------------|--|
| SP-B502-942 | Cam Screw |
| SP-B502-944 | A/R MS Series Cam |
| SP-B502-945 | A/R 4070 Series Cam |
| SP-B502-948 | Standard Mortise Cam |
| SP-L583-153 | L Series Cam |
| SP-B520-329 | Arrow 004, Yale 2160 |
| SP-B520-309 | Corbin Ruswin ML2200 (not 2255/2242) |
| SP-B520-366 | Corbin Ruswin DL4000 Series |
| SP-B520-367 | Corbin Ruswin A65 (pre1993) |
| SP-B520-329 | Sargent 13-0660 (not 16/in or 50/out) |



SP-B502-944



SP-B502-945



SP-B502-948



SP-L583-153



SP-B520-329



SP-B520-309



SP-B520-366



SP-B520-367

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

419 v2
(PL-41)

MISCELLANEOUS PARTS



Primus Pins and Springs

| | | |
|--------------------------|-----------|-------------|
| #1 Finger Pin | Stock No. | SP-34-001 |
| #2 Finger Pin | Stock No. | SP-34-002 |
| #3 Finger Pin | Stock No. | SP-34-003 |
| #4 Finger Pin | Stock No. | SP-34-004 |
| #6 Finger Pin | Stock No. | SP-34-006 |
| #7 Finger Pin | Stock No. | SP-34-058 |
| Finger Pin Spring | Stock No. | SP-C603-951 |
| Everest Check Pin Spring | Stock No. | SP-C603-951 |
| Sidebar Spring | Stock No. | SP-C603-952 |
| Sidebar | Stock No. | SP-C603-950 |

Top, Master & Bottom pins can be used on Primus & Everest Primus "Controlled Access" and Schlage Standard & Everest Cylinders.


Regular & Primus Pins and Springs

| | Original No. | *LAB Stock No. |
|---------------|--------------|----------------|
| #1 Top Pin | 34-101 | LB-SC-34-101 |
| #2 Top Pin | 34-102 | LB-SC-34-102 |
| #3 Top Pin | 34-103 | LB-SC-34-103 |
| #2 Master Pin | 34-202 | LB-SC-34-202 |
| #3 Master Pin | 34-203 | LB-SC-34-203 |
| #4 Master Pin | 34-204 | LB-SC-34-204 |
| #5 Master Pin | 34-205 | LB-SC-34-205 |
| #6 Master Pin | 34-206 | LB-SC-34-206 |
| #7 Master Pin | 34-207 | LB-SC-34-207 |
| #8 Master Pin | 34-208 | LB-SC-34-208 |
| #9 Master Pin | 34-209 | LB-SC-34-209 |
| #0 Bottom Pin | 34-300 | LB-SC-34-300 |
| #1 Bottom Pin | 34-301 | LB-SC-34-301 |
| #2 Bottom Pin | 34-302 | LB-SC-34-302 |
| #3 Bottom Pin | 34-303 | LB-SC-34-303 |
| #4 Bottom Pin | 34-304 | LB-SC-34-304 |
| #5 Bottom Pin | 34-305 | LB-SC-34-305 |
| #6 Bottom Pin | 34-306 | LB-SC-34-306 |
| #7 Bottom Pin | 34-307 | LB-SC-34-307 |
| #8 Bottom Pin | 34-308 | LB-SC-34-308 |
| #9 Bottom Pin | 34-309 | LB-SC-34-309 |

*LAB "Original Pins for Schlage". Sold in plastic Vials.

| | |
|---------------------------------------|-------------|
| F Series Compressible Cylinder | Stock No. |
| Top T-Pin | SC-F506-451 |
| Removable Cap | SC-F506-452 |
| T-Pin Top Spring | SC-F506-453 |

| | |
|----------------------------------|----------------|
| Pins and Springs | Stock No. |
| Pin Tumbler Spring | LB-SPR-115L |
| Cap Retainer Pin Spring | LB-SC-C503-115 |
| SFIC 20S Tumbler Spring | SC-C504-114 |
| Full Size I/C Control Bottom Pin | SC-C603-967 |
| Retainer Cap Pin | LB-SC-C503-116 |
| Retainer Cap | SC-C503-118 |




STOCK NO. DESCRIPTION

MORTISE CYLINDER CAMS

| | |
|---------------|--------------------------------|
| IL-863-00-10 | Yale Cam |
| IL-863A-00-10 | Adams Rite Cam |
| IL-863G-00-10 | Standard Cam |
| IL-863M-00-10 | Schlage "L" Cam |
| IL-863N-00-10 | Sargent/Yale Cam |
| IL-863R-00-10 | Lori Deadbolt |
| IL-863S-00-10 | Corbin/Russwin/Best Cloverleaf |

TAILPIECES

| | |
|---------------|---|
| IL-862-00-10 | Standard Break-off Screw 12-24 x 1-3/4" |
| IL-862A-00-10 | Extra Long Tailpiece 2-3/8" |



REMEMBER: If you don't see what you need, please contact us with your requirements.