



MISCELLANEOUS PARTS



AR-4580
Cam disc, reversible



28-0064-02 Right Hand
Replacement spring for 4160
handle.



31-0485 (HY485)
Spindle for 4160 handle.

**TWIN/6000 SERIES
TWIN EXCLUSIVE SERIES**

ASSA




Pins and Springs

- AS-867065** Cylinder spring
- AS-867066** Top pin 1-2
- AS-867067** Top pin 3-4
- AS-867068** Top pin 5-6
- AS-867069** Top pin 7-8-9
- AS-867070** Master Pin 1
- AS-867071** Master Pin 2
- AS-867072** Master Pin 3
- AS-867073** Master Pin 4
- AS-867074** Master Pin 5
- AS-867075** Master Pin 6
- AS-867076** Master Pin 7
- AS-867077** Master Pin 8
- AS-867078** Bottom pin 1
- AS-867079** Bottom pin 2
- AS-867080** Bottom pin 3
- AS-867081** Bottom pin 4
- AS-867082** Bottom pin 5
- AS-867083** Bottom pin 6
- AS-867084** Bottom pin 7
- AS-867085** Bottom pin 8
- AS-867086** Bottom pin 9
- AS-867015** Side pin (Twin)
- AS-353837** Right Hand Side Pin (V-10)
- AS-353838** Left Hand Side Pin (V-10)
- AS-867087** Side pin spring (Twin)
- AS-867088** Side bar spring (Twin)
- AS-868141** Pin chamber closing strip-
for Mort, Rim, KIK

\$-Discontinued. Call for
closeout prices.

Cams & Tailpieces

- AS-867445** #1 Adams Rite Cam
- AS-867447** #4 Corbin Bever Tail Cam
- AS-867452** #2 Sargent Cam
- AS-867453** #6 Schlage "L" Cam
- AS-867450** Horizontal & Vertical Rim Tailpiece Kit
- AS-872610** #5 Yale/Standard Cam



Screws

- \$AS-867090** Phillips Screw For Cam (being discontinued)
- AS-868138** Slotted Screw For Rim Tailpiece
- AS-900209** Kit, includes plate and 2 screws

INTERCHANGEABLE CORE PARTS



AR-001



AR-AM2




AR-004
N Series, Exit
Devices, Alarms




AR-006
Schlage




AR-18
Adams Rite



AR-100CR-44-201



AR-550CR-44-201



AR-HSCR-44-201

MISCELLANEOUS PARTS

Stock No.	Description
AR-100CR-44-201*	6/7 pin tailpiece assembly for "H" Series IC
AR-550CR-44-201	6/7 pin tailpiece assembly for "MK" Series IC
AR-HSCR-44-201*	6/7 pin tailpiece assembly for "Q" & "ML" Series IC
*Will not fit 15 and 19 functions.	
AR-3-48 X 3/16	Mortise Cylinder Cam Set Screw
AR-C16CR-122	Mortise Cylinder Washer
AR-C16CR-121A	Mortise Cylinder Adaptor Assembly - 7 pin

Deadbolt Parts

- \$AS-806268*** Spacer ring for 1-3/8" thick door
- \$AS-806269*** Adaptor ring for 2-/8" dia. hole

*Specify Finish: 605, 609, 624, 626

©ZIFF LOCK COMPANY


MISCELLANEOUS PARTS

MISCELLANEOUS PARTS

Kwikset

SPINDLES

*Limited Availability
Discontinued by factory*



- KW-4738** 640 Series Spindle Assembly
- KW-5334** 401, 404, 411, 414, 451 Spindle Assembly
- KW-5344** 300 Spindle Assembly

SCREWS

Limited Availability - Discontinued by factory


- KW-2715** 665 One Way Interior Screw (Old Style)
 - KW-2761** 660 Regular Interior Screw (Old Style)
 - KW-3224** 885 One Way Oval Head Screw
 - KW-3225** 885 Regular Interior Screw
 - KW-4424** 880/885 Mounting Studs
 - KW-6070** 660/870 Regular Interior Screw (New Style)
 - KW-6071** 665/875 Regular Interior Screw (New Style)
 - KW-6118** 665/875 One Way Oval Head Screw
- Stock US-3 finish on above parts.

660/665 SCREW PACKS


- KW-86099** For 665 US-3
- KW-86171** For 660 3, 11P, 26D

THICK DOOR KITS

- KW-81248** 980/982/980S/982S Deadbolts
- KW-81249** 985/984/985S/984S Deadbolts
- KW-81691** 780 Deadbolts
- KW-84221** 785 Deadbolts
- KW-86129** 660 Deadbolts US-3
- KW-86130** 665 Deadbolts US-3
- KW-81714** Signature Knobs: A, CA, H, L
- KW-81706** For: CN, C, LL, TNL, P, T, CHL, DL, DNL, BL, ADL, AVL, BRL, PML in US-3




KW-84215
Plug Clip (Deadbolt)



KW-84345
Plug Clip (Lockset)




KW-81892
For installing dummies on hollow core doors.
US-3, 5, 15, 15A, 26, 26D



KW-85757 5 Pin
KW-83561 6 Pin
Tumbler Pin Cover

TORQUE BLADES FOR: 630/660/780/880



- KW-84991** Std. Door 630/660/780/880 Torque Blade—1-3/8" - 1-3/4"
- KW-84992** Thick Door 630/660/780/880 Torque Blade—1-7/8" - 2-1/4"
- KW-84987** Std. Door 635/665/785/885 Torque Blade Exterior—1-3/8" - 1-3/4"
- KW-84993** Std. Door 635/665/780/885 Torque Blade Interior—1-3/8" - 1-3/4"
- KW-84988** Thick Door 635/665/785/885 Torque Blade Exterior—1-7/8" - 2-1/4"
- KW-84994** Thick Door 635/665/785/885 Torque Blade Interior—1-7/8" - 2-1/4"

664 CONVERSION KIT

KW-664 US-3, 5, 26D For converting Kwikset 663 (one sided deadbolt) to a 667 (one sided w/exterior plate). Kit includes: Blank plate, screws and torque blade.

PIN AND SPRING REFILLS FOR KWIKSET:

Descriptions	*Stock #
Tumbler Springs	LB-KW1777
PK Balls	KW-82208
.180 Driver Pin (Top)	LB-KW1858
.180 Regular Anti-pick Pin (Top)	KW-80370
.160 PK Pin (Top)	KW-83117
.160 PK Anti-pick Pin (Top)	KW-80369
.172 Bottom Pin-#1	LB-KW3100
.195 Bottom Pin-#2	LB-KW3101
.218 Bottom Pin-#3	LB-KW3103
.241 Bottom Pin-#4	LB-KW3105

Descriptions	*Stock #
.264 Bottom Pin-#5	LB-KW3106
.287 Bottom Pin-#6	LB-KW3107
.023 Master Pin-#1	LB-KW3108
.046 Master Pin-#2	LB-KW3110
.069 Master Pin-#3	LB-KW3112
.092 Master Pin-#4	LB-KW3113
.115 Master Pin-#5	LB-KW3114
.138 Master Pin-#6	LB-KW3125

*LB- made by LAB.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

417^{v1}
(PL-41)

©ZIPF LOCK COMPANY

MISCELLANEOUS PARTS

MODULAR CYLINDER PARTS



Note-Pictured smaller than actual size.

CAMS FOR MODULAR MORTISE CYLINDERS

- SC-L583-476** L9060 for cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-477** L9060 for cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-B520-743** For Adams Rite 4070: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-B520-744** For Adams Rite 4070: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-446** For Adams Rite MS: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-447** For Adams Rite MS: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-474** L Series: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-475** L Series: cylinder length 1-1/4", 1-1/2" and 1-3/4"



Cylinder side of cam




SC-L583-274
SC-L583-275



SC-L583-476
SC-L583-477

CAM SCREWS FOR MODULAR MORTISE CYLINDERS

- SC-B520-690** For 1-1/8" and 1-1/4" cylinder lengths (5-40 x 1/2")
- SC-B520-691** For 1-3/8" and 1-1/2" cylinder lengths (5-40 x 3/4")
- SC-B520-692** For 1-5/8" and 1-3/4" cylinder lengths (5-40 x 1")



Example of a Modular Cylinder



SC-L583-446
SC-L583-447



SC-B520-743
SC-B520-744

MODULAR CYLINDER HOUSING SCREWS

- SC-B520-693** Modular housing screw (8-32 x 7/8")

PLUG EXTENSIONS FOR MODULAR CAMS

- SC-B590-298** For 1-3/8" and 1-1/2" lengths
- SC-B590-299** For 1-5/8" and 1-3/4" lengths



SC-B520-692



SC-B520-691



SC-B520-690

MODULAR CYLINDER TAILPIECES

- SP-A301-337*** A & H Series: For Classic, Everest & Primus (not A73, A85 or ORB)
- SP-A301-338** A & H Orbit: For Classic, Everest & Primus
- SP-N523-022** ND Series: For Classic, Everest & Primus
- SC-B502-899** Rim cylinder tailpiece

*requires C603-098 disc.



SC-B520-299















SC-B520-298



SC-B520-693

SPECIAL CAMS FOR SCHLAGE MORTISE CYLINDERS TO OPERATE OTHER MANUFACTURERS' LOCKS

<i>Note-Cams pictured smaller than actual size.</i>	Classic Conventional (not modular cylinders) 20-001	Interchangeable Core 20-061, 20-771, 26-090 80-102, 80-132, 80-302	Everest & Primus 20-001 Everest 20-500 & 20-700 Primus
Corbin/Ruswin® DL4000 Series. (Old Corbin 420 & Ruswin 1503)	 SC-B520-295	 SC-B520-254	 SP-B520-366
Corbin/Ruswin® ML2200 Series. All functions except ML2255 & ML2242 inside.	 SC-B520-233	 SC-B520-253	 SP-B520-309
Corbin/Ruswin® A65 ML2200 master ring deadbolt functions manufactured before 6/10/93 Ruswin Old cast iron residential locks	 SC-B520-223	 SC-B520-360	 SP-B520-367
Sargent® 13-0660. All functions except 16 inside and 50 outside. Yale®-2160 Arrow®-#004	 SC-B520-256	 SC-B520-296	 SP-B520-329

©ZIPF LOCK COMPANY

418 v2

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.


(PL-41)

MISCELLANEOUS PARTS

SPECIAL CAMS

Cams pictured smaller than actual size.

CAMS FOR COMPETITORS' CYLINDERS IN SCHLAGE LOCKS



SC-L583-197
For: Sargent and Yale non-IC



SC-L583-198
For: Corbin/Ruswin non-IC

Above items may have limited availability or are by special order. Please call for details.

STANDARD & I/C CAMS

Cams pictured smaller than actual size.



SC-B502-191



SC-B502-292



SC-B502-380




SC-L583-254

NOTE: Above cams will NOT work in Schlage's modular cylinders. See previous page for modular cylinder cams.



SC-B520-378



SC-L583-255



SC-K510-711



SC-K510-730

MORTISE CYLINDER CAMS/PARTS

Stock No.	Description (Most Pictured above)
SC-B502-468	Mortise Cylinder Classic conventional cam screw up to 1-3/8".
SC-B502-191	Mortise Cylinder-Classic conventional standard cam.
SC-B502-292	Mortise Cylinder-Classic conventional cam for Adams Rite MS
SC-B502-380	Mortise Cylinder-Classic conventional cam for Adams Rite 4070 series.
SC-L583-254	Mortise Cylinder-L Series classic conventional cam.
SC-K510-474	Friction washer for Full Size Interchangeable core Mortise housing.
SC-B520-378	SFIC & Full Size Interchangeable Core cam for Adams Rite 4070 series.
SC-L583-255	Mortise Cylinder-L Series SFIC & Full Size Interchangeable Core cam (except L9060 outside).
SC-K510-711	Mortise Cylinder-SFIC & Full Size Interchangeable Core cam for Adams Rite MS..
SC-K510-730	Mortise Cylinder-Straight Cam for SFIC & Full Size Interchangeable core.

PRIMUS CAMS

Cams pictured smaller than actual size.

Stock No.	Description
SP-B502-942	Cam Screw
SP-B502-944	A/R MS Series Cam
SP-B502-945	A/R 4070 Series Cam
SP-B502-948	Standard Mortise Cam
SP-L583-153	L Series Cam
SP-B520-329	Arrow 004, Yale 2160
SP-B520-309	Corbin Ruswin ML2200 (not 2255/2242)
SP-B520-366	Corbin Ruswin DL4000 Series
SP-B520-367	Corbin Ruswin A65 (pre1993)
SP-B520-329	Sargent 13-0660 (not 16/in or 50/out)



SP-B502-944



SP-B502-945



SP-B502-948



SP-L583-153



SP-B520-329



SP-B520-309



SP-B520-366



SP-B520-367

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

419 v2
(PL-41)

MISCELLANEOUS PARTS

MISCELLANEOUS PARTS



SC-C503-347



LB-SC-C503-115



LB-SC-C503-116



SC-B520-375



SC-B502-310



SC-C503-346



SC-B502-899



SC-C503-118




SC-B202-557 1-27/32"
SC-B202-558 2"




SC-A508-614 (sold as a set)
for ORB, COM, PLA designs




SC-A508-606 (sold as a set)
for other designs



SC-B202-370



SC-B202-369



SC-B202-453



SC-B202-269
SC-B220-032 1"
SC-B220-036*

*See chart.

BAR AND/OR DRIVER

Stock No.

Description (Pictured above)

- SC-A508-606** A, H Series classic conventional 6-pin (not ORB).
SC-A508-614 A Series ORB classic conventional 6-pin (not A73 or A85).
SC-A700-031 AL Series-except hotel function: Bar and driver-not pictured.
SC-B202-269 BC162; B162: 5-pin 1-5/16" to 1-5/8" door; B252/B462: 6-pin 1-3/8", 2-1/4", 2-1/2" door.
SC-B202-369 B252/B462: 6-pin 1-5/8", 1-3/4", 3" door std bar.
SC-B202-370 B252/B462: 5-pin 1-3/8" door std, 6-pin 1-1/2", 2", 2-3/4" door.
SC-B202-453 B252/B462: 5-pin 2-1/2" door.
SC-B202-557 B160: 5-pin 1-3/8" to 1-3/4" door; 6-pin 1-5/8" to 1-3/4" door.
SC-B202-558 B160: 5 or 6-pin 1-13/16" to 2-1/4" door; B250/B460: 5 or 6-pin 1-3/8" to 2-3/4" door std bar; B560: 1-5/8" to 2-1/8" door; F160N; H110/H153 upper cylinder.
SC-B220-032 B162: 5-pin over 1-5/8" to 1-13/16" door, 6-pin over 1-11/16" to 2" door.
SC-B220-036 B162: 6-pin over 2" to 2-1/4" door; F162N.
SC-B520-375 BC100: Driver, classic conventional.
SC-B520-651 B560P tailpiece for 1-3/8" to 1-3/4" doors.
SC-B520-652 B560P tailpiece for 1-3/4" to 2-1/4" doors.
SC-B600-046 B562P tailpiece for 1-3/4" to 2-1/4" doors.
SC-B610-044 B660, B663 driver bar(s) and retainer. 1-3/8" to 2-1/2" doors-not pictured.
SC-B610-045 B662 driver bar(s) and retainer. 1-3/8": to 2" doors-not pictured.
SC-B610-046 B662 driver bar(s) and retainer. Greater than 2" to 2-1/2" doors-not pictured.
SC-C503-346 Spacer for 20-033, 20-066, 20-067, 20-069.
SC-C603-524 D Series: Bar and driver for ATH, RHO and SPA cylinder (23-013)-not pictured.
SC-C604-243 D Series: Bar and driver for knob cylinder (23-001)-not pictured.
SC-F206-437 Thick door kit for F/FA single cylinder handlesets, 2" to 2-1/2". Specify finish: 605, 609, 613, 619, 626.
SC-N523-023 ND Series: Bar and driver for lever cylinder (23-065)-not pictured.
SC-N523-127 ND Series: Full size core driver universal for ND levers
SC-S605-192 S Series: Cylinder sleeve-not pictured.
SC-S605-228 S Series: Driver-not pictured.
SC-XB11-990 BC160P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-101 and 1 ea. B502-999). **Specify finish: 605, 626**
SC-XB11-991 BC162P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-056 and 2 ea. B220-036). **Specify finish: 605, 626**

RIM CYLINDER BAR

Stock No.

Description (Pictured above)

- SC-B502-899** Rim Cylinder: Bar #1 for 20-021, Bar #2 for 20-002.

©ZIPF LOCK COMPANY

420 v2

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

(PL-41)

MISCELLANEOUS PARTS

PRIMUS MISCELLANEOUS PARTS

Cylinder Bars & Drivers

Stock No.

(Must use Primus driver, cap pin location at 2 o'clock rather than 10 o'clock.)

A & H-Series Knobs - Everest & Primus

Bar & Driver, Standard **SP-A301-337***

Bar & Driver, ORB (Except A73) **SP-A301-338**

*Requires use of disc C603-098

AL-Series Levers

Bar & Driver, Standard (Except AL85) **SC-A700-031**

BC100 Series Deadbolts - 6 Pin

Driver (Everest & Primus) **SP-B502-949**

Tailpiece, BC160 **SC-B202-557**

Tailpiece, BC162 **SC-B202-269**

B660 Series Deadbolts - 6 Pin - Everest & Primus

B660/663 (1-3/8" to 2-1/2") **SP-B610-084**

B662 (1-3/8 to 2") **SP-B610-085**

D-Series (Not D85)

Bar & Driver, Knobs, Standard **SC-C603-524**

Bar & Driver, Knobs (2" to 2-1/2") **SP-A301-337***

Bar & Driver, Levers **SC-C604-243**

Bar & Driver, "ND" Levers **SP-N523-022**


Full Size I/C core driver & retainer **SC-04-033**

* Requires use of disc C603-098

Rim Cylinder


Driver, Standard (non-IC) **SC-B502-310**

Tailpiece, standard (non-IC) **SC-B502-899**



SC-40-017

Lever Castle Nut Wrench



SC-40-080

Thru-bolt Jig

SCREW PACKS

Stock No.

Description

SC-B220-050 Adams Rite screw pack for Schlage mortise cylinders.

SC-B610-050 Standard screw pack (2 each) for B660, 661, 663, P&R. 1-3/8" to 2" doors

SC-B610-051 Standard screw pack (2 each) for B660, 661, 663, P&R. Over 2" to 2-1/2" doors

SC-B610-053 Standard screw pack (2 each) for B662P. 1-3/8" to 2" doors

SC-B610-055 Standard screw pack (2 each) for B662P. Over 2" to 2-1/2" doors

MISCELLANEOUS PARTS (pictured above)

Stock No.

Description

SC-A700-015 AL Series lever insert, 1-3/8" to 1-7/8" doors. (pictured above). Locks manufactured before May 2002.

SC-B520-322 MD, ME Series. Faceplate for latches. **Specify finish: 605 or 626. Discontinued by factory.**


SC-40-017 AL and D-Series Lever castle nut wrench (metal). (pictured above)

SC-40-080 AL and D-Series lever thru-bolt jig. (pictured above)

SC-L283-040 Spring cage for L Series (1 required per lever). (pictured above)


SC-L283-060 Spindle and spring for L Series for 1-3/8" - 1-7/8" doors (2 required per lock). Not pictured.

SCHLAGE



SC-B202-671

605, 609, 626
Rose and turn, no hold
back for B250.



SC-A501-615

To convert entrance to
vestibule function (A, AL, H)

SC-A501-311


Slide spring for
AL Series locks.



SC-F506-868

(Was A501-878)

Faceplate adaptor to adapt
1" faceplate to 1-1/8" door
preparation.




SC-A700-015

AL lever insert before May 2002


SC-A700-044 (Special order)

AL lever insert after May 2002



SC-L283-040

L Spring Cage



SC-37-001 138 For 1-3/8" thick doors

SC-37-001 134 For 1-3/4" thick doors

A, AL and D Series Reinforcement Kit. For when
installing locks in non-reinforced hollow metal or
metal clad doors.

(Limited quantity - Discontinued)

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

421v2
(PL-41)

MISCELLANEOUS PARTS



Primus Pins and Springs

#1 Finger Pin	Stock No.	SP-34-001
#2 Finger Pin	Stock No.	SP-34-002
#3 Finger Pin	Stock No.	SP-34-003
#4 Finger Pin	Stock No.	SP-34-004
#6 Finger Pin	Stock No.	SP-34-006
#7 Finger Pin	Stock No.	SP-34-058
Finger Pin Spring	Stock No.	SP-C603-951
Everest Check Pin Spring	Stock No.	SP-C603-951
Sidebar Spring	Stock No.	SP-C603-952
Sidebar	Stock No.	SP-C603-950

Top, Master & Bottom pins can be used on Primus & Everest Primus "Controlled Access" and Schlage Standard & Everest Cylinders.


Regular & Primus Pins and Springs

	Original No.	*LAB Stock No.
#1 Top Pin	34-101	LB-SC-34-101
#2 Top Pin	34-102	LB-SC-34-102
#3 Top Pin	34-103	LB-SC-34-103
#2 Master Pin	34-202	LB-SC-34-202
#3 Master Pin	34-203	LB-SC-34-203
#4 Master Pin	34-204	LB-SC-34-204
#5 Master Pin	34-205	LB-SC-34-205
#6 Master Pin	34-206	LB-SC-34-206
#7 Master Pin	34-207	LB-SC-34-207
#8 Master Pin	34-208	LB-SC-34-208
#9 Master Pin	34-209	LB-SC-34-209
#0 Bottom Pin	34-300	LB-SC-34-300
#1 Bottom Pin	34-301	LB-SC-34-301
#2 Bottom Pin	34-302	LB-SC-34-302
#3 Bottom Pin	34-303	LB-SC-34-303
#4 Bottom Pin	34-304	LB-SC-34-304
#5 Bottom Pin	34-305	LB-SC-34-305
#6 Bottom Pin	34-306	LB-SC-34-306
#7 Bottom Pin	34-307	LB-SC-34-307
#8 Bottom Pin	34-308	LB-SC-34-308
#9 Bottom Pin	34-309	LB-SC-34-309

*LAB "Original Pins for Schlage". Sold in plastic Vials.

F Series Compressible Cylinder	Stock No.
Top T-Pin	SC-F506-451
Removable Cap	SC-F506-452
T-Pin Top Spring	SC-F506-453

Pins and Springs	Stock No.
Pin Tumbler Spring	LB-SPR-115L
Cap Retainer Pin Spring	LB-SC-C503-115
SFIC 20S Tumbler Spring	SC-C504-114
Full Size I/C Control Bottom Pin	SC-C603-967
Retainer Cap Pin	LB-SC-C503-116
Retainer Cap	SC-C503-118




STOCK NO. DESCRIPTION

MORTISE CYLINDER CAMS

IL-863-00-10	Yale Cam
IL-863A-00-10	Adams Rite Cam
IL-863G-00-10	Standard Cam
IL-863M-00-10	Schlage "L" Cam
IL-863N-00-10	Sargent/Yale Cam
IL-863R-00-10	Lori Deadbolt
IL-863S-00-10	Corbin/Russwin/Best Cloverleaf

TAILPIECES

IL-862-00-10	Standard Break-off Screw 12-24 x 1-3/4"
IL-862A-00-10	Extra Long Tailpiece 2-3/8"



REMEMBER: If you don't see what you need, please contact us with your requirements.