

# KEYING KITS & KEYING ACCESSORIES

## ORIGINAL KITS

### AMERICAN



#### AJ-SK8

For servicing American rekeyable pin tumbler padlocks.

#### AJ-TCR-3

For servicing American tubular cam locks and padlocks.

### ASSA

#### AS-PK4 (Special Order)

Pin kit No. 4 Mini Pin Kit for ASSA Twin & V-10.



### Kwikset

#### KW-272 Pin Kit (not pictured)

For Professional keying of Kwikset residential locks. Kit has colored top, master & bottom pins(also anti-pick top pins), PK balls, tumbler springs, 5, 6 & low profile deadbolt pin spring covers, plug retainers, key gauge, plug follower, cylinder removal tool, knob control lug and special cylinder spring.

#### KW-236 Builder Pin Kit (small-not pictured)

### Master Lock




#### Stock No. Description

**MA-291** For 21, 27 and Pro Series Rekeyable Padlocks  
**REKEYING PARTS KIT** includes: Spool pins, master pins, bottom pins, driver pins, key cut gauges, cylinder assembly tool, allen wrenches, retaining nuts, cylinder extensions, tumbler springs, trap doors, and for new style 6000/7000: driver pins, spool pins and e clips. Kit also has convenient reference chart.

#### Stock No. Description

**MA-8491** For Rekeying Python™ Locking Cable  
**REKEYING PARTS KIT** includes: Disc tumblers 0 thru 6, cylinder retaining discs, plug assemblies, driver springs, service keys, key cut gauge, keying tool. **(Special Order only)**




NL-V70P-1

#### NL-V70P-1 Pin Tumbler Keying Kit, includes:

- 100 Pcs. ea. 1, 2, 3 and 4 Drivers.
- 100 Pcs. ea. 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 Tumblers.
- 250 Pcs. ea. Tumbler Springs.
- 100 Pcs. ea. Tumbler Retainers.
- 50 Pcs. ea. C3735 and C3738 Plug Retainers.

### CompX NATIONAL



#### NL-V71D-3 Disc Tumbler Keying Kit, includes:

- 100 Pcs. ea. 00, 22, 44, and 66 Tumblers.
- 250 Pcs. Tumbler Springs.

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

For manufacturers not shown, see LAB kits on pages 388-391

**387 v2**  
**(PL-36)**

# KEYING KITS & KEYING ACCESSORIES

## ORIGINAL KITS



**Stock No.** Description  
**SC-40-134** Keying Kit. Snap-Tight Plastic Box  
 Contents: Bottom pins, top pins, pin springs, retainer cap pins & springs, key gage, Follower bar, T-pin spring, T-pin, removeable cap.



**Stock No.** Description  
**SC-40-119** Key Kit Seal-Tight Metal Box  
 Contents: Bottom pins, master pins, top pins, pin springs, retainer caps, retainer cap pins, retainer cap pin springs, shim stock, tweezers, follower bar, removal tool, T-pin spring, T-pin, removeable cap.

**Stock No.** Description  
**SC-40-095** Compressable cylinder update kit  
 Contents: Top t-pin, Top T-pin spring, removeable cap, new plastic tray insert, new charts for 40-119, 40-132, 40-133.

**Stock No.** Description  
**SP-40-070** Primus® Pin Kit (Special Order)  
 Contents: Side bars, finger pin springs, finger pins, plug holder, sidebar springs.



These kits have been discontinued by Weiser.



**Stock No.** Description  
**WE-1418** Keying kit with tools (pictured)  
 Contents: Keying Tools, Top pins, Bottom pins, Pin tumber springs, instructions.

**Stock No.** Description  
**WE-1419** Cylinder master wafer kit (for master keying).  
 Contents: Top pins, Master wafers.



We offer specialized keying services:  
 Master Keying  
 Keying Alike  
 Contraction Keying  
 and more.

## AFTERMARKET KITS By **LAB**

### FOR INTERCHANGEABLE CORE (A2)



**LB-BWB 108** For use in Best  
 Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. Built In 6-Cylinder Pinning Block. Top Pins 2B - 19B Brass (100 pins per Size), Bottom Pins 0A - 9A Nickel Silver (100 pins per Size), Cylinder Springs (100), Caps (stamped) (100), Dimensions:14-5/8" x 8-1/4" x 1-3/4".

### INSTITUTIONAL REKEYING KIT FOR BEST (A2)



**LB-LIKIC** For use in Best A2  
 Constructed of Heavy-Duty Steel with a HARDCOAT finish. Leakproof Seal-Tight Cover. Wedge Shape with 10° angle. Chrome Plate Powder Coat Finish. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Top Pins 2B - 19B Brass (100 pins per Size). Bottom Pins 0A - 9A Nickel Silver (200 pins per Size). Cylinder Springs. Caps (machined & stamped). Dimensions:13" x 10-1/2" x 3-1/4"

# KEYING KITS & KEYING ACCESSORIES

## AFTERMARKET KITS By **LAB**

### FOR INTERCHANGEABLE CORE (A2)

#### LB-BFK 108

For all I/C using brass keys  
Services all I.Cores using Brass Keys.  
Constructed of Heavy-Duty Steel with a HARDCOAT finish and Leakproof Seal-Tight Cover. 10 Brass Color-Coded Bottom Pins #0-9, 18 Brass Master/Top Pins #2-19, Spring Caps-2 Styles Machined and Stamped, Spring Covers for 6 & 7 Pin Cores, 2 Different Length Springs: 108B-Long(Best), 108F-Short(Falcon). **Now Includes** Machined Spring Caps, LKGIC ICore Key Gauge for A2/A3/A4. New Tray with Extra Deep Tool Pocket to store your LAB Annex or other large ICore Tools. New Color-Coded Chart. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



### FOR KWIKSET

#### LB-KPK 115

Constructed of Heavy-Duty Steel with a HARDCOAT finish and Leakproof Seal-Tight Cover. Pins are Color Coded to New Industry Specifications. 6 Brass Bottom Pins, 2 Brass Top Pins, 2 Brass Anti-Pick Top Pins, 6 Brass Master Pins, Stainless Steel Cylinder Springs, 2 New Anti-Pick Top Pins (.160 & .180). **Now Includes** LAB CRT001 Cylinder Removal Tool for Kwikset Cylinders, LAB Plug Follower for Kwikset Cylinders. New Layout Chart includes Bitting Information. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



### FOR KWIKSET/SCHLAGE

#### LB-LW21SK

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. They make great bench-mates for in-shop use. Nickel-Silver Bottom Pins (Schlage), Brass Bottom Pins (Kwikset - Color-Coded to New Industry Specifications), Brass Master Pins & Top Pins, Cylinder Cap Pins & Springs, Original Manufacturer's Sizes, Built In Pin Block Dimensions:14-5/8" x 8-1/4" x 1-3/4"



### FOR SCHLAGE

#### LB-SPK 115

Constructed of Heavy-Duty Steel with a HARDCOAT finish. Leakproof Seal-Tight Cover. 10 Nickel-Silver Bottom Pins #0-9, 8 Brass Master Pins #2-9, 3 Brass Top Pins #1-3, Cylinder Cap Pins & Cap Pin Springs, Cylinder Springs (C503-113), New LAB T Pins "F" Series Top Pins (F506-451), New "F" Series Compressible Cylinder Springs (F506-453). **Now Includes** LAB LFT000 Plug Follower for Schlage Cylinders. New Layout Chart includes Bitting Information. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



### FOR SCHLAGE

#### LB-SWK 115

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. 10 Nickel-Silver Bottom Pins #0-9, 8 Brass Master Pins #2-9, 3 Brass Top Pins #1-3, Cylinder Cap Pins & Cap Pin Springs, Cylinder Springs (C503-113). Built In Pin Block Dimensions:14-5/8" x 8-1/4" x 1-3/4"



### MINI DUR-X REKEYING KITS

Stock. No.	Manufacturer*
LB-LMD ICC	Interchangeable Core A2 System
LB-LMD OIC	A2: Arrow IC, Schlage SFIC, Falcon, Medeco Keymark
LB-LMD KWK	Kwikset
LB-LMD SCH	Schlage
LB-LMD SGT	Sargent
LB-LMD WSR	Weiser
LB-LMD YLE	Yale



Made of Super-Tough Polyethylene, features a platform insert with a reusable protective cover to protect contents. Includes Cylinder pins and Cylinder Springs for manufacturer listed. Dimensions: 8"x5"x1-3/4"

\*See below for content descriptions for each manufacturer

ICC-Top Pins 2B - 19B Brass (25 pins per size), Bottom Pins 0A - 9A Nickel Silver (25 pins per size), Springs (50 ea), Spring Caps (50 ea), (Stamped).

OIC-Top Pins 2B - 19B Brass (25 pins per size). Bottom Pins 0A - 9A Nickel Silver (25 pins per size). 2 Different Length Springs. 108B-Long(Best). 108F-Short (Falcon). Spring Caps (Stamped).

KWK-6 Master pins, 2 Top pins, 6 Bottom pin (Color-Coded) and springs.

SCH-8 Brass Master Pins, 3 Brass Top Pins, 10 Nickel-Silver Bottom Pins, Cylinder Springs, Cylinder Cap Pins and Springs, LAB T Pins "F" Series Top Pins (F506-451), "F" Series Compressible Cylinder Springs (F506-453).

SGT-8 Brass Master Pins - sizes: 2-9. 5 Brass Top Pins - sizes: 10-14. 10 Brass Bottom Pins - sizes: 1- 10. Cylinder Springs. WSR-8 Brass Master Pins - sizes: 2-9, Brass Driver Pins, 10 Brass Bottom Pins - sizes: 0-9, Cylinder Springs.

YLE-7 Brass Master Pins - sizes: 2-9. 3 Brass Driver Pins - sizes: 2,3,4. 10 Brass Bottom Pins - sizes: 0-9. Cylinder Springs.

©ZIPF LOCK COMPANY

# KEYING KITS & KEYING ACCESSORIES

## AFTERMARKET KITS By **LAB**

### FOR CCL & NATIONAL CABINET

#### LB-LWK 095

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. Built In 6-Cylinder Pinning Block. Brass Master Pins: 8 National- sizes 2-9, 8 CCL- sizes X.025 - X.113; Brass Top Pins: 4 National- sizes 1-4, 2 CCL- sizes: X.115 - X.171; Brass Bottom Pins: 10 National- sizes: 0-9, 17 CCL- sizes: W.111 - W.223; Cylinder Springs Dimensions: 14-5/8" x 8-1/4" x 1-3/4"



### STEEL MINI KITS

#### LB-LMK 003

.003 Increments  
81 Sizes - No Unnecessary Sizes  
Masters: .024 - .090  
Drivers: .093 - .235  
Bottoms: .156 - .354  
.115 Long Cylinder Springs

Each kit has solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Color Passport Pin Chart® Pin sizes printed the same color as the Pins. Dimensions: 8"x6"x 11/16"



### DUR-X SEMI PRO

Light weight and made of super tough polyethylene. Triple latches with double snap protection. Center lid carrying handle. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 50 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 22-1/2" x 8-3/4" x 2-1/4".



### DUR-X SEMI PRO with drawer

Light weight and made of super tough polyethylene. Triple latches with double snap protection. Center lid carrying handle. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 22-1/2" x 8-3/4" x 3".



#### LB-LDKU3

- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

#### LB-LDKZ5

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

#### LB-LDK 003

- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

#### LB-LDK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

### CLASSIC PRO

Solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Ultra-thin - only 1-1/2" tall. Dimensions: 21-1/2" x 7-7/8" x 1-1/2".



#### LB-LPK 003


- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

#### LB-LPK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

### WOODY CLASSIC

Beautifully handcrafted in maple by New England wood craftsmen. Protected in clear poly finish to preserve its outstanding qualities. Large Printing under pin pockets. Pin Pockets designed for easy removal of pins. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Dimensions: 15-3/8" x 8-1/4" x 3".



#### LB-LWK 003

- .003 Increments
- 104 Pin sizes
- 2 Spring sizes: .115 Long & Short
- Top/Master Pins sizes: .024 - .170
- Bottom sizes: .165 - .360

#### LB-LWK 005

- .005 Increments
- 92 Sizes
- 2 Spring sizes: .115 Long & Short
- Top/Master Pins sizes: .010 - .250
- Bottom sizes: .150 - .360

The above Woody Classics are special order only

©ZIPF LOCK COMPANY

# KEYING KITS & KEYING ACCESSORIES

## AFTERMARKET KITS By **LAB**

### SMART WEDGE UNIVERSAL KIT

40% Smaller in width than our Pro Kits 13-1/4" x 10-1/2". Developed by Locksmiths with Confined Workspace in Mind. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. Easy to use time saver. Slide-Out Tool Drawer. 3 Deep Spring Pockets. NEW Tangle Resistant .115 Long Springs & .115 Short Springs. NEW T-Pin Spring for Schlage "F" Series Cylinders. Double-Sized Pin Pockets hold up to 200 pins per size. Large Tool Pocket on Top of Tray. Injection Molded High-Impact Tray with Pin Sizes Printed 100% Larger. Contains 3 Sizes of Spool Pins and the "F" Series T-Pin for Schlage Cylinders. 72 pins per pocket, 100 springs per pocket.



#### LB-LSW 003

- .003 Increments
- 92 Sizes
- Top Pins: .024T - .200T, .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .159B - .354B
- (Contains the most commonly used sizes – No Dead Stock.)

#### LB-LSW 005

- .005 Increments
- 86 Sizes
- Top Pins: .010T - .200T .230T .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .155B - .360B

### WEDGE PRO UNIVERSAL KIT

Solid metal construction. The most durable kit you can buy. 10° Wedge angle allows the user to easily view the contents without leaning over the kit to select pin sizes. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 21" x 7-3/4" x 2" front x 3" back.



#### LB-EPK 003


- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

#### LB-EPK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

### SUPER WEDGE PRO UNIVERSAL KIT WITH DRAWER

Large slide out tool drawer. Solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. Key slots for mounting to work bench. Dimensions: 21" x 7-3/4" x 4-1/2" front x 5-3/4" back.



#### LB-EPD 003

- .003 Increments
- Accommodates: 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

#### LB-EPD 005

- .005 Increments
- Accommodates: 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360



The above kits now include a Kit Refill Pack of pins.



### KIT REFILL PACK FOR LAB UNIVERSAL .003 or .005 KITS



#### LB-KRP 003

Contains 124 packs of LAB Universal .003° Pins 50 Pins Per Size Top Pins: .010-.200 Bottom Pins: .156-.360



#### LB-KRP 005

Contains 102 packs of LAB Universal .005 Pins 50 Pins Per Size Top Pins: .010-.300 Bottom Pins: .150-.360

More refill pins on next page


# KEYING KITS & KEYING ACCESSORIES

## UNIVERSAL TUMBLER PINS By **LAB**

**.003**

- The Most Accurate Universal Pin Made.
- Always within .001" of any manufacturers pin length.
- Use with the confidence of Original Pins.
- LAB PRO-STAFF Choice Award.
- Color-Coded (LAB Copyrighted System).
- Radius edges that blend into flat center so master pins will not tip or roll.
- Nose designed to decrease key insertion forces.
- Tops: .024 - .141.
- Bottoms: .126 - .360.
- 150 pins per vial.

Pins are packed in reusable plastic vials



### **BOTTOM PINS**

LB-126-B3  
LB-129-B3  
LB-132-B3  
LB-135-B3  
LB-138-B3  
LB-141-B3  
LB-144-B3  
LB-147-B3  
LB-150-B3  
LB-153-B3  
LB-156-B3  
LB-159-B3  
LB-162-B3  
LB-165-B3  
LB-168-B3  
LB-171-B3  
LB-174-B3  
LB-177-B3  
LB-180-B3  
LB-183-B3  
LB-186-B3  
LB-189-B3  
LB-192-B3  
LB-195-B3  
LB-198-B3

LB-201-B3  
LB-204-B3  
LB-207-B3  
LB-210-B3  
LB-213-B3  
LB-216-B3  
LB-219-B3  
LB-222-B3  
LB-225-B3  
LB-228-B3  
LB-231-B3  
LB-234-B3  
LB-237-B3  
LB-240-B3  
LB-243-B3  
LB-246-B3  
LB-249-B3  
LB-252-B3  
LB-255-B3  
LB-258-B3  
LB-261-B3  
LB-264-B3  
LB-267-B3  
LB-270-B3  
LB-273-B3  
LB-276-B3  
LB-279-B3

LB-282-B3  
LB-285-B3  
LB-288-B3  
LB-291-B3  
LB-294-B3  
LB-297-B3  
LB-300-B3  
LB-303-B3  
LB-306-B3  
LB-309-B3  
LB-312-B3  
LB-315-B3  
LB-318-B3  
LB-321-B3  
LB-324-B3  
LB-327-B3  
LB-330-B3  
LB-333-B3  
LB-336-B3  
LB-339-B3  
LB-342-B3  
LB-345-B3  
LB-348-B3  
LB-351-B3  
LB-354-B3  
LB-357-B3  
LB-360-B3

### **TOP PINS**


LB-024-T3  
LB-027-T3  
LB-030-T3  
LB-033-T3  
LB-036-T3  
LB-039-T3  
LB-042-T3  
LB-045-T3  
LB-048-T3  
LB-051-T3  
LB-054-T3  
LB-057-T3  
LB-060-T3  
LB-063-T3  
LB-066-T3  
LB-069-T3  
LB-072-T3  
LB-075-T3  
LB-078-T3  
LB-081-T3  
LB-084-T3  
LB-087-T3  
LB-090-T3  
LB-093-T3  
LB-096-T3  
LB-099-T3

LB-102-T3  
LB-105-T3  
LB-108-T3  
LB-111-T3  
LB-114-T3  
LB-117-T3  
LB-120-T3  
LB-123-T3  
LB-126-T3  
LB-129-T3  
LB-132-T3  
LB-135-T3  
LB-138-T3  
LB-141-T3

**.005**

- FLAT CENTER with precision chamfer, nose, finish and length.
- Color-Coded to Lock Industry Standards.
- Precision Machined to exceed industry standards.
- Nose designed to decrease key insertion forces.
- Tops: .010- .320.
- Bottoms: .115 - .360.
- 150 pins per vial.

Pins are packed in reusable plastic vials



### **BOTTOM PINS**

LB-115-B5  
LB-120-B5  
LB-125-B5  
LB-130-B5  
LB-135-B5  
LB-140-B5  
LB-145-B5  
LB-150-B5  
LB-155-B5  
LB-160-B5  
LB-165-B5  
LB-170-B5  
LB-175-B5  
LB-180-B5  
LB-185-B5  
LB-190-B5  
LB-195-B5  
LB-200-B5  
LB-205-B5  
LB-210-B5  
LB-215-B5  
LB-220-B5  
LB-225-B5  
LB-230-B5

LB-235-B5  
LB-240-B5  
LB-245-B5  
LB-250-B5  
LB-255-B5  
LB-260-B5  
LB-265-B5  
LB-270-B5  
LB-275-B5  
LB-280-B5  
LB-285-B5  
LB-290-B5  
LB-295-B5  
LB-300-B5  
LB-305-B5  
LB-310-B5  
LB-315-B5  
LB-320-B5  
LB-325-B5  
LB-330-B5  
LB-335-B5  
LB-340-B5  
LB-345-B5  
LB-350-B5  
LB-355-B5  
LB-360-B5

### **TOP PINS**

LB-010-T5  
LB-015-T5  
LB-020-T5  
LB-025-T5  
LB-030-T5  
LB-035-T5  
LB-040-T5  
LB-045-T5  
LB-050-T5  
LB-055-T5  
LB-060-T5  
LB-065-T5  
LB-070-T5  
LB-075-T5  
LB-080-T5  
LB-085-T5  
LB-090-T5  
LB-095-T5  
LB-100-T5  
LB-105-T5  
LB-110-T5  
LB-115-T5  
LB-120-T5  
LB-125-T5  
LB-130-T5

LB-135-T5  
LB-140-T5  
LB-145-T5  
LB-150-T5  
LB-155-T5  
LB-160-T5  
LB-165-T5  
LB-170-T5  
LB-175-T5  
LB-180-T5  
LB-185-T5  
LB-190-T5  
LB-195-T5  
LB-200-T5  
LB-205-T5  
LB-210-T5  
LB-215-T5  
LB-220-T5  
LB-225-T5  
LB-230-T5  
LB-235-T5  
LB-240-T5  
LB-245-T5  
LB-250-T5  
LB-255-T5  
LB-260-T5

LB-265-T5  
LB-270-T5  
LB-275-T5  
LB-280-T5  
LB-285-T5  
LB-290-T5  
LB-295-T5  
LB-300-T5  
LB-305-T5  
LB-310-T5  
LB-315-T5  
LB-320-T5

# KEYING KITS & KEYING ACCESSORIES

## AFTERMARKET PINS/SPRINGS By **LAB**

### SPRINGS



LB-SPR-115L LB-SPR-115S  
(Approximate size)

100 springs per pack

LB-SPR-115L	.115 Long
LB-SPR-115S	.115 Short
LB-SPR-074	.074 Schlage cap pin spring
LB-SPR-095	.095 For Corbin and National Cabinet Locks
LB-SPR-110	.110 For Ford
LB-SPR-IC LONG	.108 For Best (long) or I.C. Core
LB-SPR-IC SHORT	.108 For Falcon (short)



### THE "ORIGINALS"



#### FOR SCHLAGE

- Original design
- Nickel-silver bottom pins
- Exact manufacturer's sizes and specifications
- 100 pins per pack
- 50 per pack on retainer pin

**For more Schlage pins see page 395**

#### BOTTOM PINS—

LB-SC34-300	.165-0B
LB-SC34-301	.180-1B
LB-SC34-302	.195-2B
LB-SC34-303	.210-3B
LB-SC34-304	.225-4B
LB-SC34-305	.240-5B
LB-SC34-306	.255-6B
LB-SC34-307	.270-7B
LB-SC34-308	.285-8B
LB-SC34-309	.300-9B
<u>MASTER PINS—</u>	
LB-SC34-202	.030-2M
LB-SC34-203	.045-3M

LB-SC34-204	.060-4M
LB-SC34-205	.075-5M
LB-SC34-206	.090-6M
LB-SC34-207	.105-7M
LB-SC34-208	.120-8M
LB-SC34-209	.135-9M

#### TOP PINS—

LB-SC34-101	.235-1T
LB-SC34-102	.200-2T
LB-SC34-103	.165-3T

#### MISCELLANEOUS—

LB-SC-C503-115	Retainer spring
LB-SC-C503-116	Retainer pin (50)



#### FOR KWIKSET

- Original design
- Exact manufacturer's sizes and specifications
- 100 pins per pack

**For more Kwikset pins see page 395**

#### BOTTOM PINS—

LB-KW3100	.172-1B
LB-KW3101	.195-2B
LB-KW3103	.218-3B
LB-KW3105	.241-4B
LB-KW3106	.264-5B
LB-KW3107	.287-6B

#### MASTER PINS—

LB-KW3108	.023-1M
LB-KW3110	.046-2M
LB-KW3112	.069-3M
LB-KW3113	.092-4M
LB-KW3114	.115-5M
LB-KW3125	.138-6M

#### TOP PINS—

LB-KW1858	.180-T
<u>SPRINGS—</u>	
LB-KW1777	



#### FOR MASTER PADLOCKS

- Exact manufacturer's sizes and specifications
- .094 Diameter
- 200 pins per pack

#### BOTTOM PINS—

LB-MA1-0360	.111-0B
LB-MA1-0361	.126-1B
LB-MA1-0362	.142-2B
LB-MA1-0363	.158-3B
LB-MA1-0364	.173-4B
LB-MA1-0365	.188-5B
LB-MA1-0366	.204-6B
LB-MA1-0367	.220-7B

#### MASTER PINS—

LB-MA1-0391	.016-1M
LB-MA1-0392	.031-2M
LB-MA1-0393	.047-3M
LB-MA1-0394	.062-4M
LB-MA1-0395	.078-5M
LB-MA1-0396	.093-6M
LB-MA1-0397	.108-7M
LB-MA1-0368	.136-8M

#### TOP PINS—

LB-MA7-0368	.120-T
-------------	--------



#### FOR WEISER

- Original design & sizes
- Tops, masters, bottoms all brass originals
- 100 pins per pack

#### BOTTOM PINS—

LB-WE168-0B	
LB-WE186-1B	
LB-WE204-2B	
LB-WE222-3B	
LB-WE240-4B	
LB-WE258-5B	
LB-WE276-6B	

#### LB-WE294-7B

LB-WE312-8B	
LB-WE330-9B	
<u>MASTER PINS—</u>	
LB-WE036-2T	
LB-WE054-3T	
LB-WE072-4T	
LB-WE090-5T	

#### LB-WE108-6T

LB-WE126-7T	
LB-WE144-8T	
LB-WE162-9T	
<u>TOP PINS—</u>	
LB-WE186-T	

# KEYING KITS & KEYING ACCESSORIES

## LAB

### FOR I.C. CORE

- .108 Diameter
- For use with Falcon, Best, Arrow and Eagle
- Color coded brass pins
- Exact Manufacturer's sizes and specifications
- Also available for A-3, A-4 systems
- 100 pins per pack



### THE "ORIGINALS"

<b>BOTTOM PINS—</b>	LB-IC197-7B	LB-IC062-5T	LB-IC162-13T
LB-IC110-0B	LB-IC210-8B	LB-IC075-6T	LB-IC175-14T
LB-IC122-1B	LB-IC222-9B	LB-IC087-7T	LB-IC187-15T
LB-IC135-2B	<b>TOP PINS—</b>	LB-IC100-8T	LB-IC200-16T
LB-IC147-3B	LB-IC013-1T	LB-IC112-9T	LB-IC212-17T
LB-IC160-4B	LB-IC025-2T	LB-IC125-10T	LB-IC225-18T
LB-IC172-5B	LB-IC037-3T	LB-IC137-11T	LB-IC237-19T
LB-IC185-6B	LB-IC050-4T	LB-IC150-12T	

### MISCELLANEOUS—

<b>LB-IC BEST CAP</b>	Cap for Best cylinder
<b>LB-IC FAL 6</b>	6 pin cylinder cover for Falcon (Pkg of 25)
<b>LB-IC FAL 7</b>	7 pin cylinder cover for Falcon (Pkg of 100)

### FOR CORBIN/RUSSWIN

- Original design
- Tops: brass originals
- Bottoms: nickel-silver 792 alloy
- 100 pins per pack
- LIMITED SUPPLY



### BOTTOM PINS—

LB-RCL160	LB-RCL218	LB-RCL301	LB-RCM056	LB-RCM129	LB-RCM227
LB-RCL167	LB-RCL226	LB-RCL307	LB-RCM059	LB-RCM132	LB-RCM233
LB-RCL171	LB-RCL228	LB-RCL311	LB-RCM065	LB-RCM135	LB-RCM241
LB-RCL174	LB-RCL231	LB-RCL315	LB-RCM069	LB-RCM140	LB-RCM247
LB-RCL182	LB-RCL234	LB-RCL322	LB-RCM073	LB-RCM143	LB-RCM255
LB-RCL185	LB-RCL241	LB-RCL326	LB-RCM075	LB-RCM147	LB-RCM261
LB-RCL189	LB-RCL246	LB-RCL330	LB-RCM079	LB-RCM149	LB-RCM263
LB-RCL198	LB-RCL249	LB-RCL337	LB-RCM083	LB-RCM157	LB-RCM268
LB-RCL203	LB-RCL256	LB-RCL340	LB-RCM087	LB-RCM163	LB-RCM275
LB-RCL210	LB-RCL259	LB-RCL345	LB-RCM090	LB-RCM172	LB-RCM278
LB-RCL212	LB-RCL263	LB-RCL354	LB-RCM093	LB-RCM177	LB-RCM282
LB-RCL214	LB-RCL269	<b>TOP PINS—</b>	LB-RCM099	LB-RCM185	LB-RCM289
	LB-RCL273	LB-RCM028	LB-RCM102	LB-RCM188	LB-RCM303
	LB-RCL278	LB-RCM030	LB-RCM105	LB-RCM191	LB-RCM320
	LB-RCL284	LB-RCM037	LB-RCM107	LB-RCM199	
	LB-RCL287	LB-RCM042	LB-RCM112	LB-RCM203	
	LB-RCL293	LB-RCM045	LB-RCM116	LB-RCM205	
	LB-RCL297	LB-RCM051	LB-RCM121	LB-RCM213	
	LB-RCL298	LB-RCM053	LB-RCM127	LB-RCM219	


### FOR SARGENT

- Original design and sizes
- Tops, masters, bottoms all brass originals
- 100 pins per pack
- LIMITED SUPPLY



<b>BOTTOM PINS—</b>	LB-SG310-8B	LB-SG280-14D	LB-SG160-8M
LB-SG170-1B	LB-SG330-9B	<b>MASTER PINS—</b>	LB-SG180-9M
LB-SG190-2B	LB-SG350-10B	LB-SG040-2M	
LB-SG210-3B	<b>TOP PINS—</b>	LB-SG060-3M	
LB-SG230-4B	LB-SG200-10D	LB-SG080-4M	
LB-SG250-5B	LB-SG220-11D	LB-SG100-5M	
LB-SG270-6B	LB-SG240-12D	LB-SG120-6M	
LB-SG290-7B	LB-SG260-13D	LB-SG140-7M	

### CURVED SHIM



## LAB

LB-LS25 (SCS-25)	Package of 25
LB-LS100 (SCS-100)	Package of 100

©ZIPF LOCK COMPANY



# KEYING KITS & KEYING ACCESSORIES

## ORIGINAL FACTORY PINS/SPRINGS By



- 100 pins per pack
- Miscellaneous: 100 per pack except AS-867015: 50 per pack.

### BOTTOM PINS—

AS-867078	#1
AS-867079	#2
AS-867080	#3
AS-867081	#4
AS-867082	#5
AS-867083	#6
AS-867084	#7
AS-867085	#8
AS-867086	#9

### MASTER PINS—

AS-867070	#1
AS-867071	#2
AS-867072	#3
AS-867073	#4
AS-867074	#5
AS-867075	#6
AS-867076	#7
AS-867077	#8

### DRIVER PINS—

AS-867066	#1-2
AS-867067	#3-4
AS-867068	#5-6
AS-867069	#7-8-9

### SPRINGS—

#### AS-867065

### MISCELLANEOUS—

AS-867015	Side Pin(50)
AS-867087	Side Pin Spring
AS-867088	Side Bar Spring
AS-868141	Pin Chamber Strip

ASCII85 encoded image needs PostScript Level 2

### Pins and Springs

PK Balls
.180 Regular Anti-pick Pin (Top)
.160 PK Pin (Top)
.160 PK Anti-pick Pin (Top)

<b>Stock No.</b>
<b>KW-82208</b>
<b>KW-80370</b>
<b>KW-83117</b>
<b>KW-80369</b>




### F Series Compressible Cylinder

Top T-Pin	<b>Stock No.</b>
Removable Cap	<b>SC-F506-451</b>
T-Pin Top Spring	<b>SC-F506-452</b>
	<b>SC-F506-453</b>

### Pins and Springs

SFIC 20S Tumbler Spring	<b>Stock No.</b>
Full Size I/C Control Bottom Pin	<b>SC-C504-114</b>
Retainer Cap	<b>SC-C603-967</b>
	<b>SC-C503-118</b>

## KEYING ACCESSORIES FOR KWIKSET



**KW-81467** Cylinder Removing Tool for KW-1850 Cylinders.



**Major**  
MANUFACTURING, INC.

### KCT-2

Cylinder tool for Kwikset 400 Series locks. Quickly removes cylinder from lock. Removes cylinder retaining clips. Handle is following tool with master wafer unload feature.



### KW-83283

Red plastic learning tool for SmartKey® cylinders.



### KW-20622

Steel learning tool for SmartKey® cylinders.



### KW-83260 SmartKey® (SMT) Reset Cradle

The SmartKey Reset Cradle is a tool used to repair a SmartKey cylinder that has been programmed incorrectly. This can occur if the cylinder will not turn in either direction. Simple and easy to use. Simply remove the lock from the door, remove the SmartKey cylinder plug, insert into the reset cradle and the cradle will reset the cylinder to learn a new key. A must have for landlords or where there is a high possibility of lost keys.

See above for "How to re-key a SmartKey cylinder".



### EASILY RE-KEY IN 3 SIMPLE STEPS:



1 Insert functioning key & turn 1/4 turn clockwise.




2 Insert & remove the SmartKey learn tool. Remove functioning key.




3 Insert new key and turn 1/2 turn counter-clockwise. Your lock is now re-keyed!

You must have your functioning key & your SmartKey tool for the system to work.




# KEYING KITS & KEYING ACCESSORIES

## KEYING ACCESSORIES FOR SCHLAGE



**SC-40-104**

Key gage for all Schlage keys (except SFIC).




**SC-M540-051**  
Follower



**SC-M504-413**  
Installation Tool -  
For interchangeable  
core.



**LB-LCR 005**  
Cylinder cap removal tool. (By LAB.)



**SP-40-066**  
Primus® plug holder.

## UNIVERSAL KEYING ACCESSORIES by HPC



**HGG** Graphite Gun

It sprays in any direction. Refillable! Real rubber! Spill-proof! Leak-proof! Clog-proof!. Use prior to picking to loosen tight wafers or pins. Contains approximately 1/3 oz. of natural graphite. Refillable with HPC Bulk Graphite GG-16 (1 lb).

**GG-16** Bulk Graphite Refill (1 lb)



**SUT-14**

This set contains three popular sizes of hollow brass followers. Each fits into the other and into their case for convenient compactness and protection.

Use these followers on a variety of locks including the Corbin Russwin heavy duty knob lock cylinder unit. The small diameter follower is useful for cabinet locks, peanut size cylinders and pin tumbler letterbox locks.

Complete set fits into a tube with an orange cap on each end. Handy, compact, efficient and lightweight. Sizes: .395", .495", .550".



**CPH-9**

Multi-sized plug holder conveniently mounts to a bench. Bodies are hardened and have a black oxide finish. The holes are sized to hold these popular plug sizes: .395", .495", .500", .550". There are 2 different holes for .500" plugs to accommodate the variances found in some locks.



**SUT-22**

This Adjustable Follower is one follower that does it all. The spring bar allows it to fit all standard locks from .495" to .600" in diameter.




**CPH-10**

The Solid Plug Holder is made of hardened bar stock and holds .500-inch plugs including: Arrow, Corbin, Kwikset, Lockwood, Sargent, Schlage, Weiser and Yale.

**SUT-47**

These 4 Plug Followers will fit virtually all of the rim and mortise cylinders currently in use. They are made of centerless ground bar stock. The 4 sizes are: .395", .495", .500", .550".



**PTT-4**

The groove in the tip provides a firm, non-twisting grip on cylinder pins for easy loading. The tip is also milled back so that the outside diameter of a standard .115" diameter pin extends past the tip. This permits the pin to butt up against the end of the plug follower when loading the upper chambers, providing added control when holding top or master pins of varying lengths.



**SUT-1**

Individual follower. Size: .495"



# KEYING KITS & KEYING ACCESSORIES



## UNIVERSAL KEYING ACCESSORIES by HPC



### SCRT-1

Removing a cylinder cap from Schlage "A" line locksets is a snap with this tool. Use it with the cylinder in or out of the knob. With the cylinder out, merely depress the cap pin and turn. With the cylinder in the knob, slide tool over tailpiece and depress knob. Then, turn the tool slightly to depress the knob retainer. This tool saves time and tempers.

### Part of the Live Action Learning Software Series

All programs require a PC running Windows 98, 2000, ME, NT, XP or Vista, with a Pentium (or equivalent) processor and 32 MB RAM (internal memory). Adobe Acrobat Reader is required. These programs will run on a Macintosh computer running OS 9 or later. Hard disk required: HT-CMK1 requires 275MB, HT-RKC1 requires 75MB.



### HT-CMK1 How to create master key systems

Using detailed animation, colorful illustrations and audio this program clearly and concisely explains how to select key bittings, pin cylinders, create total position progression system, rotating constant systems, page systems and much more.



### HT-RKC1 How to re-key cylinders

Most beginning locksmiths start out with taking locks apart to see how they work and then changing the combination of pins. The detailed animation in this program helps you learn what goes on inside a cylinder and takes you step by step through the entire process of re-keying cylinders. From shiming and rapping cylinders open to inspecting plugs and replacing pins, master the basic of the security industry at your own pace with this interactive guide.

## MASTERKING®

### The quick and easy way to Master Key



Comes with  
"How to create  
Master Key Systems" CD

### Choose from multiple format options allowing you to handle virtually any customer requirement:

- The List Format to create system up to 5 levers.
- The Page Format to create multi-level systems.
- Total position progression to view all available bittings.
- Rotating constants to provide the largest number of bitting in a 2-lever system.
- The Sectional System combines multiple projects for graduated or progressive keyways.

### MK-CD (Special order only)

Creating a master key system on paper is a time-consuming process, and costly mistakes are easy to make. Once you understand the principles of master keying, you can let the computer do the work quickly and error-free. HPC's MasterKing® program creates superior master key systems faster than ever. MasterKing® will guide you through the development of simple or complex master key systems step by step, eliminating the possibility of transposed numbers, duplicate bittings and uncuttable keys.



### PIN TUMBER TWEEZERS



### IL-899-00-51

Pin tumbler tweezers. 6" in length. Pin holder tip.



### MA-376

Punch tool to set up the cylinder of an uncoded "UP" padlock with the tap of a hammer.

©ZIPF LOCK COMPANY

# KEYING KITS & KEYING ACCESSORIES


## UNIVERSAL KEYING ACCESSORIES by LAB



**LB-LZT 001** Tweezers  
Curved Ends For Positive Grip Perfect Size & Weight Made of Stainless Steel



**LB-LPB 001** Pinning Tray  
Made of Maple. Holds 5 Plugs. Great for Repinning Multiple Cylinders, Master and Grand Master Pinning. Measures 4"x4-1/2"




**LB-LSS 001** Vial Stadium  
Holds 35 LAB vials Tie down feet for easy mounting on wall, benches, or in vans Vials not included Dimensions: 7" x 6-1/2" x 4-1/2"



**LB-LCR 005**  
Cylinder cap removal tool. (By LAB.)



**LB-LFT 005** Set of Five Followers Below  
**LB-LFT 000** Schlage (For 3 types of cylinders)  
**LB-LFT 001** Universal (.498)  
**LFT 002** Weslock (.500) Dia.  
**LFT 003** Corbin (.550) Dia.  
**LFT 004** Small Plug (.398) Dia.  
• Light weight  
• Very Durable  
• White Delrin\*  
• Reflects Light for pinning  
\*Delrin is a product of Dupont Industries




**LB-LKG 001** 5-N-1 Gauge  
For Kwikset, Schlage, Weiser, Weslock, and Master Small size (3-3/8" x 2-1/8")

## CURVED SHIM




**LB-LKGKS** 2-N-1 Gauge  
For Kwikset and Schlage.



**Stock No.**  
**LB-LS25** (SCS-25) 25  
**LB-LS100** (SCS-100) 100

## Pin Decoder for Medeco Biaxial Pins



### LB-LPD MED

Identify and Sort, Medeco Biaxial bottom pins according to Length, Angle & Skew. Measure/Identify master and driver pin lengths. Identify fore and aft key cut positions. Determine key cut depths.

## LOCK PICKS & PICK SETS by HPC



**NDPK**  
Deluxe Pick Set  
10 picks, 4 tension tools, 2 extractors & case




**NDPK-24**  
Pro-Mixer Pick Set  
14 picks, 5 tension tools, 5 extractors & case



**NDPK-32**  
Superior Pick Set  
22 picks, 7 tension tools, 3 extractors & case



**NDPK-60**  
Professional Pick Set  
22 picks, 7 tension tools, 3 extractors & case



**PIP-13**  
Novice Pick Set  
7 picks, 3 tension tools, 1 extractors & case



**PIP-15**  
Tyro Pick Set  
6 picks, 2 tension tools, 1 extractors & case





