

KEYING KITS & KEYING ACCESSORIES

ORIGINAL KITS

AMERICAN



AJ-SK8

For servicing American rekeyable pin tumbler padlocks.

AJ-TCR-3

For servicing American tubular cam locks and padlocks.

ASSA

AS-PK4 (Special Order)

Pin kit No. 4 Mini Pin Kit for ASSA Twin & V-10.



Kwikset

KW-272 Pin Kit (not pictured)

For Professional keying of Kwikset residential locks. Kit has colored top, master & bottom pins(also anti-pick top pins), PK balls, tumbler springs, 5, 6 & low profile deadbolt pin spring covers, plug retainers, key gauge, plug follower, cylinder removal tool, knob control lug and special cylinder spring.

KW-236 Builder Pin Kit (small-not pictured)

Master Lock




Stock No. Description

MA-291 For 21, 27 and Pro Series Rekeyable Padlocks
REKEYING PARTS KIT includes: Spool pins, master pins, bottom pins, driver pins, key cut gauges, cylinder assembly tool, allen wrenches, retaining nuts, cylinder extensions, tumbler springs, trap doors, and for new style 6000/7000: driver pins, spool pins and e clips. Kit also has convenient reference chart.

Stock No. Description

MA-8491 For Rekeying Python™ Locking Cable
REKEYING PARTS KIT includes: Disc tumblers 0 thru 6, cylinder retaining discs, plug assemblies, driver springs, service keys, key cut gauge, keying tool. **(Special Order only)**




NL-V70P-1

NL-V70P-1 Pin Tumbler Keying Kit, includes:

- 100 Pcs. ea. 1, 2, 3 and 4 Drivers.
- 100 Pcs. ea. 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 Tumblers.
- 250 Pcs. ea. Tumbler Springs.
- 100 Pcs. ea. Tumbler Retainers.
- 50 Pcs. ea. C3735 and C3738 Plug Retainers.

CompX NATIONAL



NL-V71D-3 Disc Tumbler Keying Kit, includes:

- 100 Pcs. ea. 00, 22, 44, and 66 Tumblers.
- 250 Pcs. Tumbler Springs.

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

For manufacturers not shown, see LAB kits on pages 388-391

387 v2
(PL-36)

KEYING KITS & KEYING ACCESSORIES

ORIGINAL KITS



Stock No. Description
SC-40-134 Keying Kit. Snap-Tight Plastic Box
 Contents: Bottom pins, top pins, pin springs, retainer cap pins & springs, key gage, Follower bar, T-pin spring, T-pin, removeable cap.




Stock No. Description
SC-40-119 Key Kit Seal-Tight Metal Box
 Contents: Bottom pins, master pins, top pins, pin springs, retainer caps, retainer cap pins, retainer cap pin springs, shim stock, tweezers, follower bar, removal tool, T-pin spring, T-pin, removeable cap.

Stock No. Description
SC-40-095 Compressable cylinder update kit
 Contents: Top t-pin, Top T-pin spring, removeable cap, new plastic tray insert, new charts for 40-119, 40-132, 40-133.

Stock No. Description
SP-40-070 Primus® Pin Kit (Special Order)
 Contents: Side bars, finger pin springs, finger pins, plug holder, sidebar springs.



These kits have been discontinued by Weiser.



Stock No. Description
WE-1418 Keying kit with tools (pictured)
 Contents: Keying Tools, Top pins, Bottom pins, Pin tumber springs, instructions.

Stock No. Description
WE-1419 Cylinder master wafer kit (for master keying).
 Contents: Top pins, Master wafers.



We offer specialized keying services:
 Master Keying
 Keying Alike
 Contraction Keying
 and more.

AFTERMARKET KITS By **LAB**

FOR INTERCHANGEABLE CORE (A2)



LB-BWB 108 For use in Best
 Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. Built In 6-Cylinder Pinning Block. Top Pins 2B - 19B Brass (100 pins per Size), Bottom Pins 0A - 9A Nickel Silver (100 pins per Size), Cylinder Springs (100), Caps (stamped) (100), Dimensions:14-5/8" x 8-1/4" x 1-3/4".

INSTITUTIONAL REKEYING KIT FOR BEST (A2)



LB-LIKIC For use in Best A2
 Constructed of Heavy-Duty Steel with a HARDCOAT finish. Leakproof Seal-Tight Cover. Wedge Shape with 10° angle. Chrome Plate Powder Coat Finish. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Top Pins 2B - 19B Brass (100 pins per Size). Bottom Pins 0A - 9A Nickel Silver (200 pins per Size). Cylinder Springs. Caps (machined & stamped). Dimensions:13" x 10-1/2" x 3-1/4"

KEYING KITS & KEYING ACCESSORIES

AFTERMARKET KITS By **LAB**

FOR INTERCHANGEABLE CORE (A2)

LB-BFK 108

For all I/C using brass keys
Services all I.Cores using Brass Keys.
Constructed of Heavy-Duty Steel with a HARDCOAT finish and Leakproof Seal-Tight Cover. 10 Brass Color-Coded Bottom Pins #0-9, 18 Brass Master/Top Pins #2-19, Spring Caps-2 Styles Machined and Stamped, Spring Covers for 6 & 7 Pin Cores, 2 Different Length Springs: 108B-Long(Best), 108F-Short(Falcon). **Now Includes** Machined Spring Caps, LKGIC ICore Key Gauge for A2/A3/A4. New Tray with Extra Deep Tool Pocket to store your LAB Annex or other large ICore Tools. New Color-Coded Chart. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



FOR KWIKSET

LB-KPK 115

Constructed of Heavy-Duty Steel with a HARDCOAT finish and Leakproof Seal-Tight Cover. Pins are Color Coded to New Industry Specifications. 6 Brass Bottom Pins, 2 Brass Top Pins, 2 Brass Anti-Pick Top Pins, 6 Brass Master Pins, Stainless Steel Cylinder Springs, 2 New Anti-Pick Top Pins (.160 & .180). **Now Includes** LAB CRT001 Cylinder Removal Tool for Kwikset Cylinders, LAB Plug Follower for Kwikset Cylinders. New Layout Chart includes Bitting Information. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



FOR KWIKSET/SCHLAGE

LB-LW21SK

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. They make great bench-mates for in-shop use. Nickel-Silver Bottom Pins (Schlage), Brass Bottom Pins (Kwikset - Color-Coded to New Industry Specifications), Brass Master Pins & Top Pins, Cylinder Cap Pins & Springs, Original Manufacturer's Sizes, Built In Pin Block Dimensions:14-5/8" x 8-1/4" x 1-3/4"



FOR SCHLAGE

LB-SPK 115


Constructed of Heavy-Duty Steel with a HARDCOAT finish. Leakproof Seal-Tight Cover. 10 Nickel-Silver Bottom Pins #0-9, 8 Brass Master Pins #2-9, 3 Brass Top Pins #1-3, Cylinder Cap Pins & Cap Pin Springs, Cylinder Springs (C503-113), New LAB T Pins "F" Series Top Pins (F506-451), New "F" Series Compressible Cylinder Springs (F506-453). **Now Includes** LAB LFT000 Plug Follower for Schlage Cylinders. New Layout Chart includes Bitting Information. Dimensions:11-13/16" x 8-3/4" x 3-1/2"



FOR SCHLAGE

LB-SWK 115

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. 10 Nickel-Silver Bottom Pins #0-9, 8 Brass Master Pins #2-9, 3 Brass Top Pins #1-3, Cylinder Cap Pins & Cap Pin Springs, Cylinder Springs (C503-113). Built In Pin Block Dimensions:14-5/8" x 8-1/4" x 1-3/4"



MINI DUR-X REKEYING KITS

Stock. No.	Manufacturer*
LB-LMD ICC	Interchangeable Core A2 System
LB-LMD OIC	A2: Arrow IC, Schlage SFIC, Falcon, Medeco Keymark
LB-LMD KWK	Kwikset
LB-LMD SCH	Schlage
LB-LMD SGT	Sargent
LB-LMD WSR	Weiser
LB-LMD YLE	Yale



Made of Super-Tough Polyethylene, features a platform insert with a reusable protective cover to protect contents. Includes Cylinder pins and Cylinder Springs for manufacturer listed. Dimensions: 8"x5"x1-3/4"

*See below for content descriptions for each manufacturer

ICC-Top Pins 2B - 19B Brass (25 pins per size), Bottom Pins 0A - 9A Nickel Silver (25 pins per size), Springs (50 ea), Spring Caps (50 ea), (Stamped).

OIC-Top Pins 2B - 19B Brass (25 pins per size). Bottom Pins 0A - 9A Nickel Silver (25 pins per size). 2 Different Length Springs. 108B-Long(Best). 108F-Short (Falcon). Spring Caps (Stamped).

KWK-6 Master pins, 2 Top pins, 6 Bottom pin (Color-Coded) and springs.

SCH-8 Brass Master Pins, 3 Brass Top Pins, 10 Nickel-Silver Bottom Pins, Cylinder Springs, Cylinder Cap Pins and Springs, LAB T Pins "F" Series Top Pins (F506-451), "F" Series Compressible Cylinder Springs (F506-453).

SGT-8 Brass Master Pins - sizes: 2-9. 5 Brass Top Pins - sizes: 10-14. 10 Brass Bottom Pins - sizes: 1- 10. Cylinder Springs. WSR-8 Brass Master Pins - sizes: 2-9, Brass Driver Pins, 10 Brass Bottom Pins - sizes: 0-9, Cylinder Springs.

YLE-7 Brass Master Pins - sizes: 2-9. 3 Brass Driver Pins - sizes: 2,3,4. 10 Brass Bottom Pins - sizes: 0-9. Cylinder Springs.

©ZIPF LOCK COMPANY

KEYING KITS & KEYING ACCESSORIES

AFTERMARKET KITS By **LAB**

FOR CCL & NATIONAL CABINET

LB-LWK 095

Beautifully Master-crafted quality construction in maple. Features large pockets for extra pins and easy pin selection. Built In 6-Cylinder Pinning Block. Brass Master Pins: 8 National- sizes 2-9, 8 CCL- sizes X.025 - X.113; Brass Top Pins: 4 National- sizes 1-4, 2 CCL- sizes: X.115 - X.171; Brass Bottom Pins: 10 National- sizes: 0-9, 17 CCL- sizes: W.111 - W.223; Cylinder Springs Dimensions: 14-5/8" x 8-1/4" x 1-3/4"



STEEL MINI KITS

LB-LMK 003

.003 Increments
81 Sizes - No Unnecessary Sizes
Masters: .024 - .090
Drivers: .093 - .235
Bottoms: .156 - .354
.115 Long Cylinder Springs

Each kit has solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Color Passport Pin Chart® Pin sizes printed the same color as the Pins. Dimensions: 8"x6"x 11/16"



DUR-X SEMI PRO

Light weight and made of super tough polyethylene. Triple latches with double snap protection. Center lid carrying handle. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 50 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 22-1/2" x 8-3/4" x 2-1/4".



DUR-X SEMI PRO with drawer

Light weight and made of super tough polyethylene. Triple latches with double snap protection. Center lid carrying handle. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 22-1/2" x 8-3/4" x 3".



LB-LDKU3

- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

LB-LDKZ5

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

LB-LDK 003

- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

LB-LDK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

CLASSIC PRO

Solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Ultra-thin - only 1-1/2" tall. Dimensions: 21-1/2" x 7-7/8" x 1-1/2".



LB-LPK 003


- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

LB-LPK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

WOODY CLASSIC

Beautifully handcrafted in maple by New England wood craftsmen. Protected in clear poly finish to preserve its outstanding qualities. Large Printing under pin pockets. Pin Pockets designed for easy removal of pins. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Dimensions: 15-3/8" x 8-1/4" x 3".



LB-LWK 003

- .003 Increments
- 104 Pin sizes
- 2 Spring sizes: .115 Long & Short
- Top/Master Pins sizes: .024 - .170
- Bottom sizes: .165 - .360

LB-LWK 005

- .005 Increments
- 92 Sizes
- 2 Spring sizes: .115 Long & Short
- Top/Master Pins sizes: .010 - .250
- Bottom sizes: .150 - .360

The above Woody Classics are special order only

©ZIPF LOCK COMPANY

KEYING KITS & KEYING ACCESSORIES

AFTERMARKET KITS By **LAB**

SMART WEDGE UNIVERSAL KIT

40% Smaller in width than our Pro Kits 13-1/4" x 10-1/2". Developed by Locksmiths with Confined Workspace in Mind. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. Easy to use time saver. Slide-Out Tool Drawer. 3 Deep Spring Pockets. NEW Tangle Resistant .115 Long Springs & .115 Short Springs. NEW T-Pin Spring for Schlage "F" Series Cylinders. Double-Sized Pin Pockets hold up to 200 pins per size. Large Tool Pocket on Top of Tray. Injection Molded High-Impact Tray with Pin Sizes Printed 100% Larger. Contains 3 Sizes of Spool Pins and the "F" Series T-Pin for Schlage Cylinders. 72 pins per pocket, 100 springs per pocket.



LB-LSW 003

- .003 Increments
- 92 Sizes
- Top Pins: .024T - .200T, .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .159B - .354B
- (Contains the most commonly used sizes – No Dead Stock.)

LB-LSW 005

- .005 Increments
- 86 Sizes
- Top Pins: .010T - .200T .230T .235T
- Spool Pins .160J .165J .180J
- T-Pin .170TP
- Bottom Pins: .155B - .360B

WEDGE PRO UNIVERSAL KIT

Solid metal construction. The most durable kit you can buy. 10° Wedge angle allows the user to easily view the contents without leaning over the kit to select pin sizes. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. 72 pins per pocket, 100 springs per pocket. Key slots for mounting to work bench. Dimensions: 21" x 7-3/4" x 2" front x 3" back.



LB-EPK 003


- .003 Increments
- 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

LB-EPK 005

- .005 Increments
- 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360

SUPER WEDGE PRO UNIVERSAL KIT WITH DRAWER

Large slide out tool drawer. Solid metal construction. The most durable kit you can buy. Seal-Tight Lid prevents pins from mixing. Dual-View Pin Tray. Pin sizes are enlarged and printed under a clear plastic tray, both above and inside the pin pockets for easy viewing at all angles. Color Passport Pin Chart®. Pin sizes printed the same color as the Pins. Key slots for mounting to work bench. Dimensions: 21" x 7-3/4" x 4-1/2" front x 5-3/4" back.



LB-EPD 003

- .003 Increments
- Accommodates: 124 Pin sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .200
- Bottom sizes: .156 - .360

LB-EPD 005

- .005 Increments
- Accommodates: 102 Sizes, 1 Spring size
- Top/Master Pins sizes: .010 - .300
- Bottom sizes: .150 - .360



The above kits now include a Kit Refill Pack of pins.



KIT REFILL PACK FOR LAB UNIVERSAL .003 or .005 KITS



LB-KRP 003

Contains 124 packs of LAB Universal .003° Pins 50 Pins Per Size Top Pins: .010-.200 Bottom Pins: .156-.360



LB-KRP 005

Contains 102 packs of LAB Universal .005 Pins 50 Pins Per Size Top Pins: .010-.300 Bottom Pins: .150-.360

More refill pins on next page


KEYING KITS & KEYING ACCESSORIES

UNIVERSAL TUMBLER PINS By **LAB**

.003

- The Most Accurate Universal Pin Made.
- Always within .001" of any manufacturers pin length.
- Use with the confidence of Original Pins.
- LAB PRO-STAFF Choice Award.
- Color-Coded (LAB Copyrighted System).
- Radius edges that blend into flat center so master pins will not tip or roll.
- Nose designed to decrease key insertion forces.
- Tops: .024 - .141.
- Bottoms: .126 - .360.
- 150 pins per vial.

Pins are packed in reusable plastic vials



BOTTOM PINS

LB-126-B3
LB-129-B3
LB-132-B3
LB-135-B3
LB-138-B3
LB-141-B3
LB-144-B3
LB-147-B3
LB-150-B3
LB-153-B3
LB-156-B3
LB-159-B3
LB-162-B3
LB-165-B3
LB-168-B3
LB-171-B3
LB-174-B3
LB-177-B3
LB-180-B3
LB-183-B3
LB-186-B3
LB-189-B3
LB-192-B3
LB-195-B3
LB-198-B3

LB-201-B3
LB-204-B3
LB-207-B3
LB-210-B3
LB-213-B3
LB-216-B3
LB-219-B3
LB-222-B3
LB-225-B3
LB-228-B3
LB-231-B3
LB-234-B3
LB-237-B3
LB-240-B3
LB-243-B3
LB-246-B3
LB-249-B3
LB-252-B3
LB-255-B3
LB-258-B3
LB-261-B3
LB-264-B3
LB-267-B3
LB-270-B3
LB-273-B3
LB-276-B3
LB-279-B3

LB-282-B3
LB-285-B3
LB-288-B3
LB-291-B3
LB-294-B3
LB-297-B3
LB-300-B3
LB-303-B3
LB-306-B3
LB-309-B3
LB-312-B3
LB-315-B3
LB-318-B3
LB-321-B3
LB-324-B3
LB-327-B3
LB-330-B3
LB-333-B3
LB-336-B3
LB-339-B3
LB-342-B3
LB-345-B3
LB-348-B3
LB-351-B3
LB-354-B3
LB-357-B3
LB-360-B3

TOP PINS


LB-024-T3
LB-027-T3
LB-030-T3
LB-033-T3
LB-036-T3
LB-039-T3
LB-042-T3
LB-045-T3
LB-048-T3
LB-051-T3
LB-054-T3
LB-057-T3
LB-060-T3
LB-063-T3
LB-066-T3
LB-069-T3
LB-072-T3
LB-075-T3
LB-078-T3
LB-081-T3
LB-084-T3
LB-087-T3
LB-090-T3
LB-093-T3
LB-096-T3
LB-099-T3

LB-102-T3
LB-105-T3
LB-108-T3
LB-111-T3
LB-114-T3
LB-117-T3
LB-120-T3
LB-123-T3
LB-126-T3
LB-129-T3
LB-132-T3
LB-135-T3
LB-138-T3
LB-141-T3

.005

- FLAT CENTER with precision chamfer, nose, finish and length.
- Color-Coded to Lock Industry Standards.
- Precision Machined to exceed industry standards.
- Nose designed to decrease key insertion forces.
- Tops: .010- .320.
- Bottoms: .115 - .360.
- 150 pins per vial.

Pins are packed in reusable plastic vials



BOTTOM PINS

LB-115-B5
LB-120-B5
LB-125-B5
LB-130-B5
LB-135-B5
LB-140-B5
LB-145-B5
LB-150-B5
LB-155-B5
LB-160-B5
LB-165-B5
LB-170-B5
LB-175-B5
LB-180-B5
LB-185-B5
LB-190-B5
LB-195-B5
LB-200-B5
LB-205-B5
LB-210-B5
LB-215-B5
LB-220-B5
LB-225-B5
LB-230-B5

LB-235-B5
LB-240-B5
LB-245-B5
LB-250-B5
LB-255-B5
LB-260-B5
LB-265-B5
LB-270-B5
LB-275-B5
LB-280-B5
LB-285-B5
LB-290-B5
LB-295-B5
LB-300-B5
LB-305-B5
LB-310-B5
LB-315-B5
LB-320-B5
LB-325-B5
LB-330-B5
LB-335-B5
LB-340-B5
LB-345-B5
LB-350-B5
LB-355-B5
LB-360-B5

TOP PINS

LB-010-T5
LB-015-T5
LB-020-T5
LB-025-T5
LB-030-T5
LB-035-T5
LB-040-T5
LB-045-T5
LB-050-T5
LB-055-T5
LB-060-T5
LB-065-T5
LB-070-T5
LB-075-T5
LB-080-T5
LB-085-T5
LB-090-T5
LB-095-T5
LB-100-T5
LB-105-T5
LB-110-T5
LB-115-T5
LB-120-T5
LB-125-T5
LB-130-T5

LB-135-T5
LB-140-T5
LB-145-T5
LB-150-T5
LB-155-T5
LB-160-T5
LB-165-T5
LB-170-T5
LB-175-T5
LB-180-T5
LB-185-T5
LB-190-T5
LB-195-T5
LB-200-T5
LB-205-T5
LB-210-T5
LB-215-T5
LB-220-T5
LB-225-T5
LB-230-T5
LB-235-T5
LB-240-T5
LB-245-T5
LB-250-T5
LB-255-T5
LB-260-T5

LB-265-T5
LB-270-T5
LB-275-T5
LB-280-T5
LB-285-T5
LB-290-T5
LB-295-T5
LB-300-T5
LB-305-T5
LB-310-T5
LB-315-T5
LB-320-T5

KEYING KITS & KEYING ACCESSORIES

AFTERMARKET PINS/SPRINGS By **LAB**

SPRINGS



LB-SPR-115L LB-SPR-115S
(Approximate size)

100 springs per pack

LB-SPR-115L	.115 Long
LB-SPR-115S	.115 Short
LB-SPR-074	.074 Schlage cap pin spring
LB-SPR-095	.095 For Corbin and National Cabinet Locks
LB-SPR-110	.110 For Ford
LB-SPR-IC LONG	.108 For Best (long) or I.C. Core
LB-SPR-IC SHORT	.108 For Falcon (short)



THE "ORIGINALS"



FOR SCHLAGE

- Original design
- Nickel-silver bottom pins
- Exact manufacturer's sizes and specifications
- 100 pins per pack
- 50 per pack on retainer pin

For more Schlage pins see page 395

BOTTOM PINS—

LB-SC34-300	.165-0B
LB-SC34-301	.180-1B
LB-SC34-302	.195-2B
LB-SC34-303	.210-3B
LB-SC34-304	.225-4B
LB-SC34-305	.240-5B
LB-SC34-306	.255-6B
LB-SC34-307	.270-7B
LB-SC34-308	.285-8B
LB-SC34-309	.300-9B
<u>MASTER PINS—</u>	
LB-SC34-202	.030-2M
LB-SC34-203	.045-3M

LB-SC34-204	.060-4M
LB-SC34-205	.075-5M
LB-SC34-206	.090-6M
LB-SC34-207	.105-7M
LB-SC34-208	.120-8M
LB-SC34-209	.135-9M

TOP PINS—

LB-SC34-101	.235-1T
LB-SC34-102	.200-2T
LB-SC34-103	.165-3T

MISCELLANEOUS—

LB-SC-C503-115	Retainer spring
LB-SC-C503-116	Retainer pin (50)



FOR KWIKSET

- Original design
- Exact manufacturer's sizes and specifications
- 100 pins per pack

For more Kwikset pins see page 395

BOTTOM PINS—

LB-KW3100	.172-1B
LB-KW3101	.195-2B
LB-KW3103	.218-3B
LB-KW3105	.241-4B
LB-KW3106	.264-5B
LB-KW3107	.287-6B

MASTER PINS—

LB-KW3108	.023-1M
LB-KW3110	.046-2M
LB-KW3112	.069-3M
LB-KW3113	.092-4M
LB-KW3114	.115-5M
LB-KW3125	.138-6M

TOP PINS—

LB-KW1858	.180-T
<u>SPRINGS—</u>	
LB-KW1777	



FOR MASTER PADLOCKS

- Exact manufacturer's sizes and specifications
- .094 Diameter
- 200 pins per pack

BOTTOM PINS—

LB-MA1-0360	.111-0B
LB-MA1-0361	.126-1B
LB-MA1-0362	.142-2B
LB-MA1-0363	.158-3B
LB-MA1-0364	.173-4B
LB-MA1-0365	.188-5B
LB-MA1-0366	.204-6B
LB-MA1-0367	.220-7B

MASTER PINS—

LB-MA1-0391	.016-1M
LB-MA1-0392	.031-2M
LB-MA1-0393	.047-3M
LB-MA1-0394	.062-4M
LB-MA1-0395	.078-5M
LB-MA1-0396	.093-6M
LB-MA1-0397	.108-7M
LB-MA1-0368	.136-8M

TOP PINS—

LB-MA7-0368	.120-T
-------------	--------



FOR WEISER

- Original design & sizes
- Tops, masters, bottoms all brass originals
- 100 pins per pack

BOTTOM PINS—

LB-WE168-0B	
LB-WE186-1B	
LB-WE204-2B	
LB-WE222-3B	
LB-WE240-4B	
LB-WE258-5B	
LB-WE276-6B	

LB-WE294-7B

LB-WE312-8B	
LB-WE330-9B	
<u>MASTER PINS—</u>	
LB-WE036-2T	
LB-WE054-3T	
LB-WE072-4T	
LB-WE090-5T	

LB-WE108-6T

LB-WE126-7T	
LB-WE144-8T	
LB-WE162-9T	
<u>TOP PINS—</u>	
LB-WE186-T	

KEYING KITS & KEYING ACCESSORIES

LAB

FOR I.C. CORE

- .108 Diameter
- For use with Falcon, Best, Arrow and Eagle
- Color coded brass pins
- Exact Manufacturer's sizes and specifications
- Also available for A-3, A-4 systems
- 100 pins per pack



THE "ORIGINALS"

BOTTOM PINS—

LB-IC110-0B
LB-IC122-1B
LB-IC135-2B
LB-IC147-3B
LB-IC160-4B
LB-IC172-5B
LB-IC185-6B

LB-IC197-7B

LB-IC210-8B

LB-IC222-9B

TOP PINS—

LB-IC013-1T

LB-IC025-2T

LB-IC037-3T

LB-IC050-4T

LB-IC062-5T

LB-IC075-6T

LB-IC087-7T

LB-IC100-8T

LB-IC112-9T

LB-IC125-10T

LB-IC137-11T

LB-IC150-12T

LB-IC162-13T

LB-IC175-14T

LB-IC187-15T

LB-IC200-16T

LB-IC212-17T

LB-IC225-18T

LB-IC237-19T

MISCELLANEOUS—

LB-IC BEST CAP

LB-IC FAL 6

LB-IC FAL 7

Cap for Best cylinder

6 pin cylinder cover for Falcon (Pkg of 25)

7 pin cylinder cover for Falcon (Pkg of 100)

FOR CORBIN/RUSSWIN

- Original design
- Tops: brass originals
- Bottoms: nickel-silver 792 alloy
- 100 pins per pack
- LIMITED SUPPLY



BOTTOM PINS—

LB-RCL160

LB-RCL167

LB-RCL171

LB-RCL174

LB-RCL182

LB-RCL185

LB-RCL189

LB-RCL198

LB-RCL203

LB-RCL210

LB-RCL212

LB-RCL214

LB-RCL218

LB-RCL226

LB-RCL228

LB-RCL231

LB-RCL234

LB-RCL241

LB-RCL246

LB-RCL249

LB-RCL256

LB-RCL259

LB-RCL263

LB-RCL269

LB-RCL273

LB-RCL278

LB-RCL284

LB-RCL287

LB-RCL293

LB-RCL297

LB-RCL298

LB-RCL301

LB-RCL307

LB-RCL311

LB-RCL315

LB-RCL322

LB-RCL326

LB-RCL330

LB-RCL337

LB-RCL340

LB-RCL345

LB-RCL354

TOP PINS—

LB-RCM028

LB-RCM030

LB-RCM037

LB-RCM042

LB-RCM045

LB-RCM051

LB-RCM053

LB-RCM056

LB-RCM059

LB-RCM065

LB-RCM069

LB-RCM073

LB-RCM075

LB-RCM079

LB-RCM083

LB-RCM087

LB-RCM090

LB-RCM093

LB-RCM099

LB-RCM102

LB-RCM105

LB-RCM107

LB-RCM112

LB-RCM116

LB-RCM121

LB-RCM127

LB-RCM129

LB-RCM132

LB-RCM135

LB-RCM140

LB-RCM143

LB-RCM147

LB-RCM149

LB-RCM157

LB-RCM163

LB-RCM172

LB-RCM177

LB-RCM185

LB-RCM188

LB-RCM191

LB-RCM199

LB-RCM203

LB-RCM205

LB-RCM213

LB-RCM219

LB-RCM227

LB-RCM233

LB-RCM241

LB-RCM247

LB-RCM255

LB-RCM261

LB-RCM263

LB-RCM268

LB-RCM275

LB-RCM278

LB-RCM282

LB-RCM289

LB-RCM303

LB-RCM320

FOR SARGENT

- Original design and sizes
- Tops, masters, bottoms all brass originals
- 100 pins per pack
- LIMITED SUPPLY



BOTTOM PINS—

LB-SG170-1B

LB-SG190-2B

LB-SG210-3B

LB-SG230-4B

LB-SG250-5B

LB-SG270-6B

LB-SG290-7B

LB-SG310-8B

LB-SG330-9B

LB-SG350-10B

TOP PINS—

LB-SG200-10D

LB-SG220-11D

LB-SG240-12D

LB-SG260-13D

LB-SG280-14D

MASTER PINS—

LB-SG040-2M

LB-SG060-3M

LB-SG080-4M

LB-SG100-5M


LB-SG120-6M

LB-SG140-7M

LB-SG160-8M

LB-SG180-9M

CURVED SHIM



LAB

LB-LS25 (SCS-25)

LB-LS100 (SCS-100)

Package of 25

Package of 100

KEYING KITS & KEYING ACCESSORIES

ORIGINAL FACTORY PINS/SPRINGS By



- 100 pins per pack
- Miscellaneous: 100 per pack except AS-867015: 50 per pack.

BOTTOM PINS—

AS-867078	#1
AS-867079	#2
AS-867080	#3
AS-867081	#4
AS-867082	#5
AS-867083	#6
AS-867084	#7
AS-867085	#8
AS-867086	#9

MASTER PINS—

AS-867070	#1
AS-867071	#2
AS-867072	#3
AS-867073	#4
AS-867074	#5
AS-867075	#6
AS-867076	#7
AS-867077	#8

DRIVER PINS—

AS-867066	#1-2
AS-867067	#3-4
AS-867068	#5-6
AS-867069	#7-8-9

SPRINGS—

AS-867065

MISCELLANEOUS—

AS-867015	Side Pin(50)
AS-867087	Side Pin Spring
AS-867088	Side Bar Spring
AS-868141	Pin Chamber Strip

ASCII85 encoded image needs PostScript Level 2

Pins and Springs

PK Balls
.180 Regular Anti-pick Pin (Top)
.160 PK Pin (Top)
.160 PK Anti-pick Pin (Top)

Stock No.
KW-82208
KW-80370
KW-83117
KW-80369




F Series Compressible Cylinder

Top T-Pin	Stock No.
Removable Cap	SC-F506-451
T-Pin Top Spring	SC-F506-452
	SC-F506-453

Pins and Springs

SFIC 20S Tumbler Spring	Stock No.
Full Size I/C Control Bottom Pin	SC-C504-114
Retainer Cap	SC-C603-967
	SC-C503-118

KEYING ACCESSORIES FOR KWIKSET



KW-81467 Cylinder Removing Tool for KW-1850 Cylinders.



KCT-2

Cylinder tool for Kwikset 400 Series locks. Quickly removes cylinder from lock. Removes cylinder retaining clips. Handle is following tool with master wafer unload feature.



KW-83283

Red plastic learning tool for SmartKey® cylinders.



KW-20622

Steel learning tool for SmartKey® cylinders.



KW-83260 SmartKey® (SMT) Reset Cradle

The SmartKey Reset Cradle is a tool used to repair a SmartKey cylinder that has been programmed incorrectly. This can occur if the cylinder will not turn in either direction. Simple and easy to use. Simply remove the lock from the door, remove the SmartKey cylinder plug, insert into the reset cradle and the cradle will reset the cylinder to learn a new key. A must have for landlords or where there is a high possibility of lost keys.

See above for "How to re-key a SmartKey cylinder".



EASILY RE-KEY IN 3 SIMPLE STEPS:



1 Insert functioning key & turn 1/4 turn clockwise.



2 Insert & remove the SmartKey learn tool. Remove functioning key.



3 Insert new key and turn 1/2 turn counter-clockwise. Your lock is now re-keyed!

You must have your functioning key & your SmartKey tool for the system to work.




SmartKey Tool

Functioning Key

©ZIPF LOCK COMPANY


KEYING KITS & KEYING ACCESSORIES

KEYING ACCESSORIES FOR SCHLAGE




SC-40-104

Key gage for all Schlage keys (except SFIC).




SC-M540-051
Follower



SC-M504-413
Installation Tool -
For interchangeable
core.



LB-LCR 005
Cylinder cap removal tool. (By LAB.)



SP-40-066
Primus® plug holder.

UNIVERSAL KEYING ACCESSORIES by HPC



HGG Graphite Gun

It sprays in any direction. Refillable! Real rubber! Spill-proof! Leak-proof! Clog-proof!. Use prior to picking to loosen tight wafers or pins. Contains approximately 1/3 oz. of natural graphite. Refillable with HPC Bulk Graphite GG-16 (1 lb).

GG-16 Bulk Graphite Refill (1 lb)



SUT-14

This set contains three popular sizes of hollow brass followers. Each fits into the other and into their case for convenient compactness and protection.

Use these followers on a variety of locks including the Corbin Russwin heavy duty knob lock cylinder unit. The small diameter follower is useful for cabinet locks, peanut size cylinders and pin tumbler letterbox locks.

Complete set fits into a tube with an orange cap on each end. Handy, compact, efficient and lightweight. Sizes: .395", .495", .550".



CPH-9

Multi-sized plug holder conveniently mounts to a bench. Bodies are hardened and have a black oxide finish. The holes are sized to hold these popular plug sizes: .395", .495", .500", .550". There are 2 different holes for .500" plugs to accommodate the variances found in some locks.



SUT-22

This Adjustable Follower is one follower that does it all. The spring bar allows it to fit all standard locks from .495" to .600" in diameter.




CPH-10

The Solid Plug Holder is made of hardened bar stock and holds .500-inch plugs including: Arrow, Corbin, Kwikset, Lockwood, Sargent, Schlage, Weiser and Yale.

SUT-47

These 4 Plug Followers will fit virtually all of the rim and mortise cylinders currently in use. They are made of centerless ground bar stock. The 4 sizes are: .395", .495", .500", .550".



PTT-4

The groove in the tip provides a firm, non-twisting grip on cylinder pins for easy loading. The tip is also milled back so that the outside diameter of a standard .115" diameter pin extends past the tip. This permits the pin to butt up against the end of the plug follower when loading the upper chambers, providing added control when holding top or master pins of varying lengths.



SUT-1

Individual follower. Size: .495"



KEYING KITS & KEYING ACCESSORIES



UNIVERSAL KEYING ACCESSORIES by HPC



SCRT-1

Removing a cylinder cap from Schlage "A" line locksets is a snap with this tool. Use it with the cylinder in or out of the knob. With the cylinder out, merely depress the cap pin and turn. With the cylinder in the knob, slide tool over tailpiece and depress knob. Then, turn the tool slightly to depress the knob retainer. This tool saves time and tempers.

Part of the Live Action Learning Software Series

All programs require a PC running Windows 98, 2000, ME, NT, XP or Vista, with a Pentium (or equivalent) processor and 32 MB RAM (internal memory). Adobe Acrobat Reader is required. These programs will run on a Macintosh computer running OS 9 or later. Hard disk required: HT-CMK1 requires 275MB, HT-RKC1 requires 75MB.



HT-CMK1 How to create master key systems

Using detailed animation, colorful illustrations and audio this program clearly and concisely explains how to select key bittings, pin cylinders, create total position progression system, rotating constant systems, page systems and much more.



HT-RKC1 How to re-key cylinders

Most beginning locksmiths start out with taking locks apart to see how they work and then changing the combination of pins. The detailed animation in this program helps you learn what goes on inside a cylinder and takes you step by step through the entire process of re-keying cylinders. From shiming and rapping cylinders open to inspecting plugs and replacing pins, master the basic of the security industry at your own pace with this interactive guide.

MASTERKING®

The quick and easy way to Master Key



Comes with
"How to create
Master Key Systems" CD

Choose from multiple format options allowing you to handle virtually any customer requirement:

- The List Format to create system up to 5 levers.
- The Page Format to create multi-level systems.
- Total position progression to view all available bittings.
- Rotating constants to provide the largest number of bitting in a 2-lever system.
- The Sectional System combines multiple projects for graduated or progressive keyways.

MK-CD (Special order only)

Creating a master key system on paper is a time-consuming process, and costly mistakes are easy to make. Once you understand the principles of master keying, you can let the computer do the work quickly and error-free. HPC's MasterKing® program creates superior master key systems faster than ever. MasterKing® will guide you through the development of simple or complex master key systems step by step, eliminating the possibility of transposed numbers, duplicate bittings and uncuttable keys.



PIN TUMBER TWEEZERS



IL-899-00-51

Pin tumbler tweezers. 6" in length. Pin holder tip.



MA-376

Punch tool to set up the cylinder of an uncoded "UP" padlock with the tap of a hammer.

©ZIPF LOCK COMPANY

KEYING KITS & KEYING ACCESSORIES


UNIVERSAL KEYING ACCESSORIES by LAB




LB-LZT 001 Tweezers
Curved Ends For Positive Grip Perfect Size & Weight Made of Stainless Steel




LB-LPB 001 Pinning Tray
Made of Maple. Holds 5 Plugs. Great for Repinning Multiple Cylinders, Master and Grand Master Pinning. Measures 4"x4-1/2"



LB-LSS 001 Vial Stadium
Holds 35 LAB vials Tie down feet for easy mounting on wall, benches, or in vans Vials not included Dimensions: 7" x 6-1/2" x 4-1/2"



LB-LCR 005
Cylinder cap removal tool. (By LAB.)



LB-LKG 001 5-N-1 Gauge
For Kwikset, Schlage, Weiser, Weslock, and Master Small size (3-3/8" x 2-1/8")




LB-LFT 005 Set of Five Followers Below
LB-LFT 000 Schlage (For 3 types of cylinders)
LB-LFT 001 Universal (.498)
LFT 002 Weslock (.500) Dia.
LFT 003 Corbin (.550) Dia.
LFT 004 Small Plug (.398) Dia.
• Light weight
• Very Durable
• White Delrin*
• Reflects Light for pinning
*Delrin is a product of Dupont Industries

CURVED SHIM




LB-LKGKS 2-N-1 Gauge
For Kwikset and Schlage.



Stock No.
LB-LS25 (SCS-25) 25
LB-LS100 (SCS-100) 100

Pin Decoder for Medeco Biaxial Pins



LB-LPD MED

Identify and Sort, Medeco Biaxial bottom pins according to Length, Angle & Skew. Measure/Identify master and driver pin lengths. Identify fore and aft key cut positions. Determine key cut depths.

LOCK PICKS & PICK SETS by HPC



NDPK
Deluxe Pick Set
10 picks, 4 tension tools, 2 extractors & case




NDPK-24
Pro-Mixer Pick Set
14 picks, 5 tension tools, 5 extractors & case



NDPK-32
Superior Pick Set
22 picks, 7 tension tools, 3 extractors & case



NDPK-60
Professional Pick Set
22 picks, 7 tension tools, 3 extractors & case



PIP-13
Novice Pick Set
7 picks, 3 tension tools, 1 extractors & case



PIP-15
Tyro Pick Set
6 picks, 2 tension tools, 1 extractors & case

