


MISCELLANEOUS

LETTER BOX PLATES



Sleeves for use with Letter Box Plates

- Made of stainless steel.
- For 1-3/4" hollow core doors.


Stock No.
IV-601 1-3/4
IV-602 1-3/4

For Letter Box Plates:
 620, 621, 622 Plates
 618, 619, 623, 624 Plates

MAGNETIC CATCHES

Triple Pole Magnetic Catches

- Self-aligning magnet insures maximum pull.
- Case design allows easy magnet adjustment on cabinet or small door applications.
- Aluminum case.
- Packed with sheet metal screws.
- Conforms to ANSI/BHMA A156.9.
- Dimensions:
 Case: 2-1/16" Long x 1-5/32" Deep x 7/8" Thick
 Load Capacity: 6 lbs.




Magnetic Catch
IV-323A92

Finishes: Aluminum Clear Coated

Double Pole Magnetic Catches

- High impact plastic case is tan colored to blend with wood.
- Easy to adjust.
- Packed with sheet metal screws.
- Conforms to ANSI/BHMA A156.9 B03141.
- Dimensions:
 Case: 1-3/4" Long x 9/16" Deep x 1/2" Thick
 Load Capacity: 5 lbs.




Magnetic Catch
IV-324P69

Finishes: Dark Bronze Painted

Double Pole Magnetic Catches

- Self aligning magnet insures maximum pull.
- Case design allows easy magnet adjustment on cabinet or small door applications.
- Aluminum case.
- Packed with sheet metal screws.
- Conforms to ANSI/BHMA A156.9.
- Dimensions:
 Case: 2-1/16" Long x 1-1/8" Deep x 5/8" Thick
 Load Capacity: 5 lbs.




Magnetic Catch
IV-325A

Finishes: 3, 92

**We pride ourselves on our customer service.
 We urge you to test us today and every day!**

MISCELLANEOUS


MAGNETIC CATCHES



**Magnetic Catch
IV-326A**
Finishes: 3, 92

Mighty-Mite Heavy Duty Magnetic Catch

- Dual double pole.
- Self-aligning magnets insure maximum pull.
- Can be surface mounted or mortised.
- Aluminum case.
- Packed with sheet metal screws, 2 short strikes and 1 long strike.
- Conforms to ANSI/BHMA A156.9 B43161.
- Dimensions:
Case: 3-1/8" Long x 1" Deep x 9/16" Thick
Load Capacity: 9 lbs.




**Magnetic Catch
IV-327A**
Finishes: 3, 92

Super-Mite Heavy Duty Magnetic Catch

- Dual triple pole.
- Self-aligning magnets insure maximum pull.
- Can be surface mounted or mortised.
- Aluminum case.
- Packed with sheet metal screws, 2 short strikes and 1 long strike.
- Conforms to ANSI/BHMA A156.9 B43161.
- Dimensions:
Case: 3-1/8" Long x 1" Deep x 3/4" Thick
Load Capacity: 14 lbs.

PATIO DOOR LOCKS



THE VERSATILE SURFACE MOUNTED DEADBOLT
Ideal For: Sliding Patio Doors, Sliding Windows, Swinging Doors, Double Doors, French Doors, Plus!

Mortise cylinder not included



5002-1-9A Aluminum Powdercoat #1 gear

- Can be used on narrow stile doors and frames with a frame width of only 1-5/8".
- Lock housing will accept a standard 1-1/8" mortise cylinder (not included) enabling it to be keyed to other locks in a system.
- Mounts at top or bottom of door or both.
- Equipped with a 3/8" diameter x 9" long locking bolt with a 2-3/8" throw as standard. Other models available by special order.
- Each lock is supplied with a #1 gear (for use with standard mortise cylinders) locking rod, one way screws and instructions.
- Special #2 gear for Medeco mortise cylinder is available by special order.



DUAL FUNCTION DOOR SECURITY BAR

Adjusts to fit most Sliding and Hinged doors




For Sliding Doors

**Stock No.
265D (White)**

For Hinged Doors



- Non-marring yoke (removable for sliding doors)
- Designed to fit most doors, simple push button adjustment.
- High strength steel tube. 20-gauge.
- Portable. Collapsible, to fit most suitcases and garment bags.
- Pivoting ball joint for full contact on floor.
- Padded foot provides sure grip on most floors.
- Lifetime Guarantee.



Pin Retainer Cap

Sliding Door Pin Lock

MAG-8752 Prevents sliding and lifting of doors. Locks or vents.



©ZIPF LOCK COMPANY

See page 446 for Cal Royal, Don Jo, Ives finish descriptions.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

441_{v1}
(PL-42)

MISCELLANEOUS

WINDOW HARDWARE




Casement Adjuster

- Securely holds casement window in any position.
- Can also be used to hold cabinet lids and drafting table tops in various positions.
- Made from burnished steel or solid brass.
- Available in 10" and 12" lengths.
- Dimensions: Tube: 3/8" x 5/8"; Projection: 1"
Sash Plate: Brass: 1-5/8" x 5/8"; Steel: 2 x 5/8"
Sill Plate: 2-1/4" x 15/16"



Stock No. (Specify Finish & Length)

IV-71B3 10" Length 10" - Brass



HEAVY DUTY

For door or window. 2 per card.

MAG-8732 Aluminum



HEAVY DUTY

Fits wide or narrow tracks. No-Mar, 2 per card.

MAG-8746 Aluminum

MAG is no longer in business. Therefore supplies are very limited.

—FINISHES—

Ives:

- US-3** Bright Brass, clear coated
- US-4** Satin Brass, clear coated
- US-5** Antique Brass, clear coated
- US-10** Satin Bronze
- US-10B** Oil Rubbed Bronze
- US-15** Satin Nickel, clear coated
- US-15A** Antique Nickel, clear coated
- US-26** Bright Chrome
- US-26D** Satin Chrome
- US-27** Satin Aluminum, clear anodized alum.
- US-28** Satin Aluminum, clear anodized.
- US-32D** Satin Stainless Steel
- 2C** Zinc Plated
- 3AL** Plated Bright Brass, clear coated
- 14** Bright Nickel Plated, clear coated
- 92** Aluminum clear coated
- 716** Aged Bronze
- W** White Epoxy Coated

Cal Royal:

- US-3** Bright Brass
- US-4** Satin Brass
- US-5** Antique Brass
- US-10** Satin Bronze
- US-10B** Oil Rubbed Bronze
- US-15** Satin Nickel
- US-15A** Satin Nickel Oxidized
- US-26** Bright Chrome
- US-26D** Satin Chrome
- US-32D** Satin Stainless Steel
- DURO** Duronodic

Don Jo:

- 605** Bright Brass
- 609** Antique Brass
- 613** Oil Rubbed Bronze
- 619** Satin Nickel
- 620** Antique Nickel
- 625** Bright Chrome
- 626** Satin Chrome
- 630** Satin Stainless Steel
- AL** Sprayed Aluminum
- BP** Brass Plated

**Cannot find what you need?
It simple ...
just give us a call...**

