


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS


- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



- **FOR CYLINDRICAL DOOR LOCKS WITH 2-1/8" HOLE. (Strike not included)**


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-1	AB, PB, S	2-3/8"	1-3/8"	4" x 9"
DJ-CW-2	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
DJ-CW-3	PB, S	2-3/4"	1-3/8"	4-1/4" x 9"
DJ-CW-4	AB, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 9"

AB Antique Brass
PB Polished Brass
S Stainless Steel
10B Oil Rubbed Bronze



- **FOR CYLINDRICAL DOOR LOCKS WITH 2-1/8" HOLE (Strike not included)**


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-51	AB, PB, S	2-3/8"	1-3/8"	4" x 4-1/2"
DJ-CW-61	PB	2-3/8"	1-3/4"	4" x 4-1/2"
DJ-CW-71	PB, S	2-3/4"	1-3/8"	4-1/4" x 4-1/2"
DJ-CW-81	PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 4-1/2"



- **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included)**
with 1-1/2" hole on top and 2-1/8" hole on bottom with 4" centers


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-154	S	2-3/8"	1-3/8"	4" x 9"

Special order only.



- **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included)**
with 2-1/8" holes with 3-5/8" centers

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-261	PB	2-3/8"	1-3/4"	4" x 9"



- **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included)**
with 2-1/8" holes with 4" centers

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-943	AB, PB, S	2-3/4"	1-3/4"	4-1/4" x 9"

©ZIPF LOCK COMPANY

NOTE-Security Strikes are recommended with these products. See pages 501-503


MODERNIZATION KITS

DON-JO

WRAP-AROUND PLATES

CLASSIC WRAP-AROUNDS

- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



- **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included) with 1-1/2" hole on top and 2-1/8" hole on bottom with 6" centers**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-486	PB, S	2-3/4"	1-3/4"	4-1/2" x 12"

- **with 2-1/8" hole on top and 2-1/8" hole on bottom with 6" centers**


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-946	PB, S	2-3/4"	1-3/4"	4-1/2" x 12"




- **BLANK WRAP-AROUND WITH TRIM SCREWS**

<u>Stock No.</u>	<u>Finish</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-30	PB, S	1-3/8"	4-1/2" x 9"
DJ-CW-40	PB, S	1-3/4"	4-1/2" x 9"
DJ-CW-70	S	1-3/8"	4-1/4" x 4-1/2"
DJ-CW-80	PB, S	1-3/4"	4-1/4" x 4-1/2"
DJ-CW-90	S	1-3/4"	5" x 12"

AB Antique Brass
 PB Polished Brass
 S Stainless Steel
 10B Oil Rubbed Bronze




DJ-CW-20



DJ-CW-20B

- **20" WRAP-AROUND**


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-20B	S	—	1-3/4"	5" x 20"
DJ-CW-20	PB, S	2-3/4"	1-3/4"	5" x 20"



- **FOR INSTALLING BEST 93K LEVER LOCK, 73K LOCKSET, & SARGENT 6500 SERIES (Strike not included)**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-9K	S	2-3/4"	1-3/4"	4-3/4" x 9"

Special order only



- **FOR HEAVY DUTY GRADE 1 & GRADE 2 KEY-IN-LEVER. (Strike not included)**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-4-2	S	2-3/4"	1-3/4"	4-3/4" x 9"
DJ-CW-81-2	S	2-3/4"	1-3/4"	4-3/4" x 4-1/2"

©ZIPF LOCK COMPANY

NOTE-Security Strikes are recommended with these products. See pages 501-503


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS


- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



▪ **FOR SIMPLEX/UNICAN 1000 SERIES (Strike not included)**


Stock No.	Finish	Backset	Thickness	Size
DJ-CW-9	AB, PB, S	2-3/4"	1-3/4"	5" x 9"
DJ-CW-15	AB, PB, S	2-3/4"	1-3/4"	5" x 15"

AB Antique Brass
BZ Satin Bronze
PB Polished Brass
S Stainless Steel
10B Oil Rubbed Bronze




▪ **FOR ALARM LOCK DL-2700/T2 & 3000 SERIES TRILOGY LOCK (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-27	AB, PB, S	2-3/4"	1-3/4"	5" x 15"




▪ **FOR SCHLAGE COBRA LOCKS (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-17	S	2-3/4"	1-3/4"	5" x 12"
DJ-CW-18	S	2-3/4"	1-3/4"	5" x 15"




DJ-CW-14



DJ-CW-14-2

▪ **FOR CONVERSION OF SIMPLEX 1000 SERIES AND ALARM LOCK DL-2500, 2700/T2, & 3000 SERIES TO KEY-IN-KNOB LOCKS (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-14	AB, PB, S	2-3/4"	1-3/4"	5" x 14"
DJ-CW-14-2	PB, S	2-3/4"	1-3/4"	5" x 14"



▪ **FOR KABA/SIMPLEX E-2000 SERIES**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-E2000	S	2-3/4"	1-3/4"	5" x 15"

©ZIPF LOCK COMPANY

NOTE-Security Strikes are recommended with these products. See pages 501-503
 SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS


- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •




▪ **FOR LOCKS WITH EXTENDED OR CONVERTED BACKSETS**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-55	AB	5"	1-3/4"	6-1/2" x 9"

- AB** Antique Brass
- BZ** Satin Bronze
- PB** Polished Brass
- S** Stainless Steel
- 10B** Oil Rubbed Bronze



DJ-CW-504



DJ-CW-514

▪ **FOR MORTISE LOCK WRAP-AROUND PLATE FOR 86 CUT-OUT (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-504	S	—	1-3/4"	5" x 12"

- 8" x 1-1/4" recess
- Drill spindle and thumb turn holes in field
- Rectangle size 1-5/8" x 7-5/16"


NOTE-Security Strikes are recommended with these products. See pages 501-503

REMODELER PLATES

For modernizing or decorating


DON-JO

- 605** Polished Brass
- 609** Antique Brass
- 630** Stainless Steel




DJ-RP13509

Finishes: 605, 609, 630.
Size: 3-1/2" x 9"




DJ-RP13515

Finishes: 605, 630.
Size: 3-1/2" x 15"



DJ-RP13545

Finishes: 605, 609, 630.
Size: 3-1/2" x 4-1/2"



DJ-RPK109

Finishes: 605, 630.
Kit contains: (2) RP-13509


MODERNIZATION KITS

- AB** Antique Brass
- BN** Satin Bronze
- PB** Polished Brass
- S** Stainless Steel

"INSTALL-A-LOCK"




- Latch Plate Is Secured Metal Into Metal, Not Metal Into Wood •
- Protects Leading Edge Of Door • Makes Door More Jimmy Proof •




▪ **FOR DOOR LOCKS WITH 2-1/8" BORE.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-3	AB, PB, S	2-3/4"	1-3/8"	4-1/4" x 9"
MAG-4	AB, BN, PB, S	2-3/4"	1-3/4"	4-1/4" x 9"



▪ **FOR INSTALLING DEADBOLTS WITH 2-1/8" BORE.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-61	AB, S	2-3/8"	1-3/4"	4" x 4-1/2"
MAG-71	PB	2-3/4"	1-3/8"	4-1/4" x 4-1/2"



▪ **FOR LOCK AND DEADBOLT 1-1/2" HOLE ON TOP AND 2-1/8" ON BOTTOM WITH 4" CENTERS.**


STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-484	AB	2-3/4"	1-3/4"	4-1/4" x 9"



▪ **BLANK CHANNELS WITH MOUNTING HOLES ONLY.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-30	S	—	1-3/8"	4-1/4" x 9"
MAG-70	S	—	1-3/8"	4-1/4" x 4-1/2"

SEE NEXT PAGE FOR MORE



▪ **FOR SIMPLEX 1000 SERIES AND ALARM LOCK DL2500.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-1000-9	AB, S	2-3/4"	1-3/4"	5" x 9"



▪ **FOR MORTISE LOCKS FACEPLATE 8" x 1-1/4" WITH THRU BOLTS.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-504	S	2-3/4"	1-3/4"	5" x 12"

©ZIPF LOCK COMPANY

MAG is no longer in business. Therefore supplies are very limited.

451_{v2}
(PL-43)

MODERNIZATION KITS

2000 SERIES INSTALL-A-LOCK REINFORCER FLAT FACE DESIGN (VISUAL PACKED)




▪ Fits **OVER** all standard and drive-in latches.

▪ **FOR INSTALLING CYLINDRICAL DOOR LOCKS WITH 2-1/8" BORE.**




STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-2001	ABV, PBV, SV	2-3/8"	1-3/8"	4" x 9"
MAG-2002	PBV, SV	2-3/8"	1-3/4"	4" x 9"
MAG-2003	ABV, PBV	2-3/4"	1-3/8"	4-1/4" x 9"
MAG-2004	ABV	2-3/4"	1-3/4"	4-1/4" x 9"



▪ **FOR DEADBOLT WITH 1-1/2" BORE.**

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-2006	ABV, PBV	2-3/8"	1-3/4"	4" x 4-1/2"



▪ **FOR DEADBOLT WITH 2-1/8" BORE.**


STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-2051	ABV	2-3/8"	1-3/8"	4" x 4-1/2"
MAG-2061	ABV, SV	2-3/8"	1-3/4"	4" x 4-1/2"

SPECIFY FINISH: PBV-Polished Brass, **ABV**-Antique Brass, **SV**-Satin Stainless Steel

DESIGNER SERIES DOOR REINFORCER— VISUAL PACK



▪ **TRADITIONAL — FOR ALL LOCKS WITH 2-1/8" BORE.**



STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-2066	PBV	2-3/8"	1-3/4"	4" x 6"


FINISH: PBV-Polished Brass

MAG is no longer in business. Therefore supplies are very limited.


**REMEMBER: If you don't see what you need,
please contact us with your requirements.**

MODERNIZATION KITS

Kwikset




KW-214 CP US-3
Large Modernization Kit. 3-1/2" x 10-1/2". Includes: 2 large trim plates, latch & strike plate.



KW-215 CP US-3
Small Modernization Kit. 7-1/4" x 3-3/8". Includes: 2 small trim plates, (KW-249 below) latch & strike plate.

AMES

DEADBOLTS & KNOB LOCKS FIRMLY ANCHORED IN HOLLOW METAL DOORS USING THE AMES DOOR & LOCK SUPPORTS



Stock No. Description
ADLS For 1-3/4" doors

BOLT CONE holds and centers deadbolt or latch bolt — eliminates bolt wobble and loose or broken faceplates screws.

LOCK SUPPORT serves as dust cover to maintain clean, free working lock.

BOLT CONE & PERIMETER LUGS support door when lock is securely tightened on door.

DEADBOLTS which can be used in 2-1/8" holes: Schlage B600 Series, Corbin/Russwin, Kwikset, Arrow, Sargent, Weslock, Schlage 400 Series, and Master with mounting plates.

FACE PLATE BRACKET installed by locksmith. Not used with drive-in bolt.

SIMPLE INSTALLATION. Fold & insert into 2-1/8" hole. PATIENT applied for.



We offer specialized keying services:
Master Keying
Keying Alike
Construction Keying
and more.

MODERNIZATION KITS

FILLER PLATES

DON-JO



DJ-EF160
DJ-EF161
DJ-EF161 S



DJ-EF634



DJ-HF45
DJ-SHF45



DJ-EF86
Steel



DJ-CV2414




DJ-CV86

<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
DJ-EF160	Prime Coated	2-1/4" x 1"	160 Cut Out
DJ-EF161	Prime Coated	2-1/4" x 1-1/8"	161 Cut Out
DJ-EF161 S	Prime Coated	2-3/4" x 1-1/8"	Schlage Cut Out
DJ-EF634	Prime Coated	6-3/4" x 1"	Flush Bolt
DJ-HF45	Prime Coated	4-1/2" x 1-3/4"	Door Hinge
DJ-SHF45	Prime Coated	4-1/2" x 1-1/2"	Door Hinge
DJ-EF86	Prime Coated	8" x 1-1/4" x 3/16"	86 Cut Out
DJ-CV86	Prime Coated	8" x 1-1/4"	Convert 86 Cut Out to 161
DJ-CV2414 SL	Silver Coated	4-1/4" x 1-1/4"	Convert Sargent Integra Locks




DJ-FS260 PC
A.S.A. Cut Out



DJ-FF45
DJ-FF50




DJ-BTS160 PC



DJ-HS060
DJ-HS090

<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
DJ-FS260 PC	Prime Coated	4-7/8" X 1-1/4"	Strike Filler for ANSI Cut out
DJ-FF45	Prime Coated	4-1/2" x 1-5/8"	Frame Filler
DJ-FF50	Prime Coated	5" x 1-5/8"	Frame Filler
DJ-HS090	Prime Coated	13 gauge	4-1/2" shims- .090
DJ-HS060	Prime Coated	16 gauge	4-1/2" shims- .060
DJ-BTS160 PC	Prime Coated	2-3/4" x 1-3/8"	T-Strike for 160 Cut Out




DJ-CP258
2-5/8" cylinder plate

<u>Stock No.</u>	<u>Finish</u>	<u>Description</u>
DJ-CP258 PC	Prime Coated	Cylinder plate covers up to 2-1/8" hole. Can be used with rim or mortise cylinder. The indents at 3 and 9 o'clock prevent the collar from shifting on wood or metal.
DJ-CP258 SL	Silver Coated	


MODERNIZATION KITS

FILLER PLATES

DON-JO



DJ-BF161
Covers up to
2-1/8" hole



DJ-BF178
Covers up to
1-1/2" hole

Stock No.
DJ-PDF161

Finish
PC

Description

Covers up to 2-1/8" hole. Fits under standard rim panic device.

DJ-AR335 605, 613, 630

DJ-BF135 PC

DJ-BF178 BP, PC


DJ-BF161 BP, PC, SL

2-3/8" Diameter Hole Filler

3-3/4" Diameter Hole Filler


1-7/8" Diameter Hole Filler

2-3/8" Diameter Hole Filler




DJ-AR335

Allows for use of levers on 1-3/8" doors. Diameter: 3-1/2".




DJ-BF135

Covers up to 3-3/4" hole



DJ-PDF161

Covers up to 2-1/8" hole under rim panic device



3-1/2" O.D.

Stock No. **Finish**
DJ-SP135 605, 609, 630


Scar plate used to convert 2-3/8" to 2-3/4" backset. Fits under rose of key-in-knob or deadbolt locks.

- BP** Brass Plated
- PC** Prime Coated
- SL** Silver Coated
- 605** Polished Brass
- 609** Antique Brass
- 630** Stainless Steel

FILLER PLATES

FILLER PLATE KITS

Combinations of the most popular filler plates packaged together in display packs for easy handling



For Gov't 161 cut-out
DJ-FPK161 PC Prime Coat plastic bag contains:

- 1ea DJ-BF161 Round hole filler
- 1ea DJ-EF161 2-1/4" x 1-1/8" edge filler
- 1ea DJ-FS260 PC 4-7/8" strike filler

©ZIPF LOCK COMPANY


SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

455 v1
(PL-43)

MODERNIZATION KITS




MAG is no longer in business. Therefore supplies are very limited.



**MAG-8860-B Brass
ADAPTER PLATES
2-5/8" O.D. DIA.**

For Rim or Mortise Cylinders.
Covers up to 2-1/8" Dia. Hole
1-1/4" Inside Dia.



**MAG-8865-AB Ant. Brass
COVER PLATES
3-1/2" O.D. DIA.**

For 2-1/8" Bore Locks, 2 per
card. Covers Damaged Door.
Changes 2-3/8" to 2-3/4"
Backset, and 2-3/4" to 2-3/8"
Backset.



**MAG-8868-B Brass
HOLE COVER
2-5/8" O.D. DIA.**

Covers 1/2" to 2-1/8" holes. Self-
centering Disk Prevents
Movement of Plate.



**MAG-8870-PC Prime Coat
HOLE COVER
FOR 2-1/8" HOLE**
Under Rim Panic Hardware



MAG-8873



MAG-8875

Stock No.	Finish	Size	Description
MAG-8873-PC	Prime Coated	1-1/8" x 2-1/4"	For 161 cut out
MAG-8875-PC	Prime Coated	1-1/4" x 8"	86 Mortise lock face cut out

Filler Plate Kit for 86 Cut Out - 1 of each: 8875 & 8880

Stock No.	Finish	Size	Description
MAG-8883-PC	Prime Coated	1-1/4" x 8"	86 Mortise lock face cut out
		1-1/4" x 4-7/8"	ANSI strike filler plate

**We pride ourselves on our customer service.
We urge you to test us today and every day!**