



# MISCELLANEOUS PARTS



**AR-4580**  
Cam disc, reversible



**28-0064-02** Right Hand  
Replacement spring for 4160  
handle.



**31-0485 (HY485)**  
Spindle for 4160 handle.

**TWIN/6000 SERIES  
TWIN EXCLUSIVE SERIES**

**ASSA**




## Pins and Springs

- AS-867065** Cylinder spring
- AS-867066** Top pin 1-2
- AS-867067** Top pin 3-4
- AS-867068** Top pin 5-6
- AS-867069** Top pin 7-8-9
- AS-867070** Master Pin 1
- AS-867071** Master Pin 2
- AS-867072** Master Pin 3
- AS-867073** Master Pin 4
- AS-867074** Master Pin 5
- AS-867075** Master Pin 6
- AS-867076** Master Pin 7
- AS-867077** Master Pin 8
- AS-867078** Bottom pin 1
- AS-867079** Bottom pin 2
- AS-867080** Bottom pin 3
- AS-867081** Bottom pin 4
- AS-867082** Bottom pin 5
- AS-867083** Bottom pin 6
- AS-867084** Bottom pin 7
- AS-867085** Bottom pin 8
- AS-867086** Bottom pin 9
- AS-867015** Side pin (Twin)
- AS-353837** Right Hand Side Pin (V-10)
- AS-353838** Left Hand Side Pin (V-10)
- AS-867087** Side pin spring (Twin)
- AS-867088** Side bar spring (Twin)
- AS-868141** Pin chamber closing strip-  
for Mort, Rim, KIK

\$-Discontinued. Call for  
closeout prices.

## Cams & Tailpieces

- AS-867445** #1 Adams Rite Cam
- AS-867447** #4 Corbin Bever Tail Cam
- AS-867452** #2 Sargent Cam
- AS-867453** #6 Schlage "L" Cam
- AS-867450** Horizontal & Vertical Rim Tailpiece Kit
- AS-872610** #5 Yale/Standard Cam



## Screws

- \$AS-867090** Phillips Screw For Cam (being discontinued)
- AS-868138** Slotted Screw For Rim Tailpiece
- AS-900209** Kit, includes plate and 2 screws

## INTERCHANGEABLE CORE PARTS



**AR-001**



**AR-AM2**




**AR-004**

N Series, Exit  
Devices, Alarms



**AR-006**

Schlage



**AR-18**

Adams Rite



**AR-100CR-44-201**



**AR-550CR-44-201**



**AR-HSCR-44-201**

## MISCELLANEOUS PARTS

Stock No.	Description
<b>AR-100CR-44-201*</b>	6/7 pin tailpiece assembly for "H" Series IC
<b>AR-550CR-44-201</b>	6/7 pin tailpiece assembly for "MK" Series IC
<b>AR-HSCR-44-201*</b>	6/7 pin tailpiece assembly for "Q" & "ML" Series IC
*Will not fit 15 and 19 functions.	
<b>AR-3-48 X 3/16</b>	Mortise Cylinder Cam Set Screw
<b>AR-C16CR-122</b>	Mortise Cylinder Washer
<b>AR-C16CR-121A</b>	Mortise Cylinder Adaptor Assembly - 7 pin

## Deadbolt Parts

- \$AS-806268\*** Spacer ring for 1-3/8" thick door
- \$AS-806269\*** Adaptor ring for 2-/8" dia. hole

\*Specify Finish: 605, 609, 624, 626

©ZIFF LOCK COMPANY


# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS

# Kwikset

### SPINDLES

*Limited Availability  
Discontinued by factory*



- KW-4738** 640 Series Spindle Assembly
- KW-5334** 401, 404, 411, 414, 451 Spindle Assembly
- KW-5344** 300 Spindle Assembly

### SCREWS

*Limited Availability - Discontinued by factory*


- KW-2715** 665 One Way Interior Screw (Old Style)
  - KW-2761** 660 Regular Interior Screw (Old Style)
  - KW-3224** 885 One Way Oval Head Screw
  - KW-3225** 885 Regular Interior Screw
  - KW-4424** 880/885 Mounting Studs
  - KW-6070** 660/870 Regular Interior Screw (New Style)
  - KW-6071** 665/875 Regular Interior Screw (New Style)
  - KW-6118** 665/875 One Way Oval Head Screw
- Stock US-3 finish on above parts.

### 660/665 SCREW PACKS


- KW-86099** For 665 US-3
- KW-86171** For 660 3, 11P, 26D

### THICK DOOR KITS

- KW-81248** 980/982/980S/982S Deadbolts
- KW-81249** 985/984/985S/984S Deadbolts
- KW-81691** 780 Deadbolts
- KW-84221** 785 Deadbolts
- KW-86129** 660 Deadbolts US-3
- KW-86130** 665 Deadbolts US-3
- KW-81714** Signature Knobs: A, CA, H, L
- KW-81706** For: CN, C, LL, TNL, P, T, CHL, DL, DNL, BL, ADL, AVL, BRL, PML in US-3




**KW-84215**  
Plug Clip (Deadbolt)



**KW-84345**  
Plug Clip (Lockset)




**KW-81892**  
For installing dummies on hollow core doors.  
US-3, 5, 15, 15A, 26, 26D



**KW-85757** 5 Pin  
**KW-83561** 6 Pin  
Tumbler Pin Cover

### TORQUE BLADES FOR: 630/660/780/880



- KW-84991** Std. Door 630/660/780/880 Torque Blade—1-3/8" - 1-3/4"
- KW-84992** Thick Door 630/660/780/880 Torque Blade—1-7/8" - 2-1/4"
- KW-84987** Std. Door 635/665/785/885 Torque Blade Exterior—1-3/8" - 1-3/4"
- KW-84993** Std. Door 635/665/780/885 Torque Blade Interior—1-3/8" - 1-3/4"
- KW-84988** Thick Door 635/665/785/885 Torque Blade Exterior—1-7/8" - 2-1/4"
- KW-84994** Thick Door 635/665/785/885 Torque Blade Interior—1-7/8" - 2-1/4"

### 664 CONVERSION KIT

**KW-664 US-3, 5, 26D** For converting Kwikset 663 (one sided deadbolt) to a 667 (one sided w/exterior plate). Kit includes: Blank plate, screws and torque blade.

### PIN AND SPRING REFILLS FOR KWIKSET:

Descriptions	*Stock #
Tumbler Springs	<b>LB-KW1777</b>
PK Balls	<b>KW-82208</b>
.180 Driver Pin (Top)	<b>LB-KW1858</b>
.180 Regular Anti-pick Pin (Top)	<b>KW-80370</b>
.160 PK Pin (Top)	<b>KW-83117</b>
.160 PK Anti-pick Pin (Top)	<b>KW-80369</b>
.172 Bottom Pin-#1	<b>LB-KW3100</b>
.195 Bottom Pin-#2	<b>LB-KW3101</b>
.218 Bottom Pin-#3	<b>LB-KW3103</b>
.241 Bottom Pin-#4	<b>LB-KW3105</b>

Descriptions	*Stock #
.264 Bottom Pin-#5	<b>LB-KW3106</b>
.287 Bottom Pin-#6	<b>LB-KW3107</b>
.023 Master Pin-#1	<b>LB-KW3108</b>
.046 Master Pin-#2	<b>LB-KW3110</b>
.069 Master Pin-#3	<b>LB-KW3112</b>
.092 Master Pin-#4	<b>LB-KW3113</b>
.115 Master Pin-#5	<b>LB-KW3114</b>
.138 Master Pin-#6	<b>LB-KW3125</b>

\*LB- made by LAB.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

**417**<sup>v1</sup>  
(PL-41)

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## MODULAR CYLINDER PARTS



Note-Pictured smaller than actual size.

### CAMS FOR MODULAR MORTISE CYLINDERS

- SC-L583-476** L9060 for cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-477** L9060 for cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-B520-743** For Adams Rite 4070: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-B520-744** For Adams Rite 4070: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-446** For Adams Rite MS: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-447** For Adams Rite MS: cylinder length 1-1/4", 1-1/2" and 1-3/4"
- SC-L583-474** L Series: cylinder length 1-1/8", 1-3/8" and 1-5/8"
- SC-L583-475** L Series: cylinder length 1-1/4", 1-1/2" and 1-3/4"




SC-L583-274  
SC-L583-275



SC-L583-476  
SC-L583-477

### CAM SCREWS FOR MODULAR MORTISE CYLINDERS

- SC-B520-690** For 1-1/8" and 1-1/4" cylinder lengths (5-40 x 1/2")
- SC-B520-691** For 1-3/8" and 1-1/2" cylinder lengths (5-40 x 3/4")
- SC-B520-692** For 1-5/8" and 1-3/4" cylinder lengths (5-40 x 1")



SC-L583-446  
SC-L583-447



SC-B520-743  
SC-B520-744

### MODULAR CYLINDER HOUSING SCREWS

- SC-B520-693** Modular housing screw (8-32 x 7/8")

### PLUG EXTENSIONS FOR MODULAR CAMS

- SC-B590-298** For 1-3/8" and 1-1/2" lengths
- SC-B590-299** For 1-5/8" and 1-3/4" lengths















### MODULAR CYLINDER TAILPIECES

- SP-A301-337\*** A & H Series: For Classic, Everest & Primus (not A73, A85 or ORB)
- SP-A301-338** A & H Orbit: For Classic, Everest & Primus
- SP-N523-022** ND Series: For Classic, Everest & Primus
- SC-B502-899** Rim cylinder tailpiece

\*requires C603-098 disc.



## SPECIAL CAMS FOR SCHLAGE MORTISE CYLINDERS TO OPERATE OTHER MANUFACTURERS' LOCKS

<i>Note-Cams pictured smaller than actual size.</i>	<b>Classic Conventional (not modular cylinders)</b> 20-001	<b>Interchangeable Core</b> 20-061, 20-771, 26-090 80-102, 80-132, 80-302	<b>Everest &amp; Primus</b> 20-001 Everest 20-500 & 20-700 Primus
<b>Corbin/Ruswin®</b> DL4000 Series. (Old Corbin 420 & Ruswin 1503)	 <b>SC-B520-295</b>	 <b>SC-B520-254</b>	 <b>SP-B520-366</b>
<b>Corbin/Ruswin®</b> ML2200 Series. All functions except ML2255 & ML2242 inside.	 <b>SC-B520-233</b>	 <b>SC-B520-253</b>	 <b>SP-B520-309</b>
<b>Corbin/Ruswin® A65</b> ML2200 master ring deadbolt functions manufactured before 6/10/93 <b>Ruswin</b> Old cast iron residential locks	 <b>SC-B520-223</b>	 <b>SC-B520-360</b>	 <b>SP-B520-367</b>
<b>Sargent®</b> 13-0660. All functions except 16 inside and 50 outside. <b>Yale®-2160</b> <b>Arrow®-#004</b>	 <b>SC-B520-256</b>	 <b>SC-B520-296</b>	 <b>SP-B520-329</b>


©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## SPECIAL CAMS

*Cams pictured smaller than actual size.*

### CAMS FOR COMPETITORS' CYLINDERS IN SCHLAGE LOCKS



**SC-L583-197**  
For: Sargent and Yale non-IC



**SC-L583-198**  
For: Corbin/Ruswin non-IC

Above items may have limited availability or are by special order. Please call for details.

## STANDARD & I/C CAMS

*Cams pictured smaller than actual size.*



**SC-B502-191**



**SC-B502-292**



**SC-B502-380**



**SC-L583-254**

NOTE: Above cams will NOT work in Schlage's modular cylinders. See previous page for modular cylinder cams.



**SC-B520-378**



**SC-L583-255**



**SC-K510-711**



**SC-K510-730**

### MORTISE CYLINDER CAMS/PARTS

Stock No.	Description (Most Pictured above)
<b>SC-B502-468</b>	Mortise Cylinder Classic conventional cam screw up to 1-3/8".
<b>SC-B502-191</b>	Mortise Cylinder-Classic conventional standard cam.
<b>SC-B502-292</b>	Mortise Cylinder-Classic conventional cam for Adams Rite MS
<b>SC-B502-380</b>	Mortise Cylinder-Classic conventional cam for Adams Rite 4070 series.
<b>SC-L583-254</b>	Mortise Cylinder-L Series classic conventional cam.
<b>SC-K510-474</b>	Friction washer for Full Size Interchangeable core Mortise housing.
<b>SC-B520-378</b>	SFIC & Full Size Interchangeable Core cam for Adams Rite 4070 series.
<b>SC-L583-255</b>	Mortise Cylinder-L Series SFIC & Full Size Interchangeable Core cam (except L9060 outside).
<b>SC-K510-711</b>	Mortise Cylinder-SFIC & Full Size Interchangeable Core cam for Adams Rite MS..
<b>SC-K510-730</b>	Mortise Cylinder-Straight Cam for SFIC & Full Size Interchangeable core.

## PRIMUS CAMS

*Cams pictured smaller than actual size.*

Stock No.	Description
<b>SP-B502-942</b>	Cam Screw
<b>SP-B502-944</b>	A/R MS Series Cam
<b>SP-B502-945</b>	A/R 4070 Series Cam
<b>SP-B502-948</b>	Standard Mortise Cam
<b>SP-L583-153</b>	L Series Cam
<b>SP-B520-329</b>	Arrow 004, Yale 2160
<b>SP-B520-309</b>	Corbin Ruswin ML2200 (not 2255/2242)
<b>SP-B520-366</b>	Corbin Ruswin DL4000 Series
<b>SP-B520-367</b>	Corbin Ruswin A65 (pre1993)
<b>SP-B520-329</b>	Sargent 13-0660 (not 16/in or 50/out)



**SP-B502-944**



**SP-B502-945**



**SP-B502-948**



**SP-L583-153**



**SP-B520-329**



**SP-B520-309**



**SP-B520-366**



**SP-B520-367**

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

**419** v2  
(PL-41)

# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS



SC-C503-347



LB-SC-C503-115



LB-SC-C503-116



SC-B520-375



SC-B502-310



SC-C503-346



SC-B502-899



SC-C503-118




SC-B202-557 1-27/32"  
SC-B202-558 2"




SC-A508-614 (sold as a set)  
for ORB, COM, PLA designs




SC-A508-606 (sold as a set)  
for other designs



SC-B202-370



SC-B202-369



SC-B202-453



SC-B202-269  
SC-B220-032 1"  
SC-B220-036\*

\*See chart.

## BAR AND/OR DRIVER

Stock No.

Description (Pictured above)

- SC-A508-606** A, H Series classic conventional 6-pin (not ORB).  
**SC-A508-614** A Series ORB classic conventional 6-pin (not A73 or A85).  
**SC-A700-031** AL Series-except hotel function: Bar and driver-not pictured.  
**SC-B202-269** BC162; B162: 5-pin 1-5/16" to 1-5/8" door; B252/B462: 6-pin 1-3/8", 2-1/4", 2-1/2" door.  
**SC-B202-369** B252/B462: 6-pin 1-5/8", 1-3/4", 3" door std bar.  
**SC-B202-370** B252/B462: 5-pin 1-3/8" door std, 6-pin 1-1/2", 2", 2-3/4" door.  
**SC-B202-453** B252/B462: 5-pin 2-1/2" door.  
**SC-B202-557** B160: 5-pin 1-3/8" to 1-3/4" door; 6-pin 1-5/8" to 1-3/4" door.  
**SC-B202-558** B160: 5 or 6-pin 1-13/16" to 2-1/4" door; B250/B460: 5 or 6-pin 1-3/8" to 2-3/4" door std bar; B560: 1-5/8" to 2-1/8" door; F160N; H110/H153 upper cylinder.  
**SC-B220-032** B162: 5-pin over 1-5/8" to 1-13/16" door, 6-pin over 1-11/16" to 2" door.  
**SC-B220-036** B162: 6-pin over 2" to 2-1/4" door; F162N.  
**SC-B520-375** BC100: Driver, classic conventional.  
**SC-B520-651** B560P tailpiece for 1-3/8" to 1-3/4" doors.  
**SC-B520-652** B560P tailpiece for 1-3/4" to 2-1/4" doors.  
**SC-B600-046** B562P tailpiece for 1-3/4" to 2-1/4" doors.  
**SC-B610-044** B660, B663 driver bar(s) and retainer. 1-3/8" to 2-1/2" doors-not pictured.  
**SC-B610-045** B662 driver bar(s) and retainer. 1-3/8": to 2" doors-not pictured.  
**SC-B610-046** B662 driver bar(s) and retainer. Greater than 2" to 2-1/2" doors-not pictured.  
**SC-C503-346** Spacer for 20-033, 20-066, 20-067, 20-069.  
**SC-C603-524** D Series: Bar and driver for ATH, RHO and SPA cylinder (23-013)-not pictured.  
**SC-C604-243** D Series: Bar and driver for knob cylinder (23-001)-not pictured.  
**SC-F206-437** Thick door kit for F/FA single cylinder handlesets, 2" to 2-1/2". Specify finish: 605, 609, 613, 619, 626.  
**SC-N523-023** ND Series: Bar and driver for lever cylinder (23-065)-not pictured.  
**SC-N523-127** ND Series: Full size core driver universal for ND levers  
**SC-S605-192** S Series: Cylinder sleeve-not pictured.  
**SC-S605-228** S Series: Driver-not pictured.  
**SC-XB11-990** BC160P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-101 and 1 ea. B502-999). **Specify finish: 605, 626**  
**SC-XB11-991** BC162P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-056 and 2 ea. B220-036). **Specify finish: 605, 626**

## RIM CYLINDER BAR

Stock No.

Description (Pictured above)

- SC-B502-899** Rim Cylinder: Bar #1 for 20-021, Bar #2 for 20-002.

©ZIPF LOCK COMPANY

420 v2

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

(PL-41)

# MISCELLANEOUS PARTS

## PRIMUS MISCELLANEOUS PARTS



**Cylinder Bars & Drivers** Stock No.  
(Must use Primus driver, cap pin location at 2 o'clock rather than 10 o'clock.)

**A & H-Series Knobs - Everest & Primus**  
Bar & Driver, Standard **SP-A301-337\***  
Bar & Driver, ORB (Except A73) **SP-A301-338**

\*Requires use of disc C603-098


**AL-Series Levers**  
Bar & Driver, Standard (Except AL85) **SC-A700-031**

**BC100 Series Deadbolts - 6 Pin**  
Driver (Everest & Primus) **SP-B502-949**  
Tailpiece, BC160 **SC-B202-557**  
Tailpiece, BC162 **SC-B202-269**


**B660 Series Deadbolts - 6 Pin - Everest & Primus**  
B660/663 (1-3/8" to 2-1/2") **SP-B610-084**  
B662 (1-3/8" to 2") **SP-B610-085**

**D-Series (Not D85)**  
Bar & Driver, Knobs, Standard **SC-C603-524**  
Bar & Driver, Knobs (2" to 2-1/2") **SP-A301-337\***  
Bar & Driver, Levers **SC-C604-243**  
Bar & Driver, "ND" Levers **SP-N523-022**  
Full Size I/C core driver & retainer **SC-04-033**  
\* Requires use of disc C603-098

**Rim Cylinder**  
Driver, Standard (non-IC) **SC-B502-310**  
Tailpiece, standard (non-IC) **SC-B502-899**



**SC-B202-671**  
605, 609, 626  
Rose and turn, no hold  
back for B250.




**SC-A501-615**  
To convert entrance to  
vestibule function (A, AL, H)


**SC-A501-311**  
Slide spring for  
AL Series locks.




**SC-F506-868**  
(Was A501-878)  
Faceplate adaptor to adapt  
1" faceplate to 1-1/8" door  
preparation.




**SC-A700-015**  
AL lever insert before May 2002  
**SC-A700-044** (Special order)  
AL lever insert after May 2002




**SC-L283-040**  
L Spring Cage



**SC-40-017**  
Lever Castle Nut Wrench



**SC-40-080**  
Thru-bolt Jig



**SC-37-001 138** For 1-3/8" thick doors  
**SC-37-001 134** For 1-3/4" thick doors  
A, AL and D Series Reinforcement Kit. For when  
installing locks in non-reinforced hollow metal or  
metal clad doors.  
**(Limited quantity - Discontinued)**

## SCREW PACKS

Stock No.	Description
<b>SC-B220-050</b>	Adams Rite screw pack for Schlage mortise cylinders.
<b>SC-B610-050</b>	Standard screw pack (2 each) for B660, 661, 663, P&R. 1-3/8" to 2" doors
<b>SC-B610-051</b>	Standard screw pack (2 each) for B660, 661, 663, P&R. Over 2" to 2-1/2" doors
<b>SC-B610-053</b>	Standard screw pack (2 each) for B662P. 1-3/8" to 2" doors
<b>SC-B610-055</b>	Standard screw pack (2 each) for B662P. Over 2" to 2-1/2" doors

## MISCELLANEOUS PARTS (pictured above)

Stock No.	Description
<b>SC-A700-015</b>	AL Series lever insert, 1-3/8" to 1-7/8" doors. (pictured above). Locks manufactured before May 2002.
<b>SC-B520-322</b>	MD, ME Series. Faceplate for latches. <b>Specify finish: 605 or 626. Discontinued by factory.</b>
<b>SC-40-017</b>	AL and D-Series Lever castle nut wrench (metal). (pictured above)
<b>SC-40-080</b>	AL and D-Series lever thru-bolt jig. (pictured above)
<b>SC-L283-040</b>	Spring cage for L Series (1 required per lever). (pictured above)
<b>SC-L283-060</b>	Spindle and spring for L Series for 1-3/8" - 1-7/8" doors (2 required per lock). Not pictured.

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

**421**<sub>v2</sub>  
(PL-41)

# MISCELLANEOUS PARTS



## Primus Pins and Springs

#1 Finger Pin	Stock No.	SP-34-001
#2 Finger Pin	SP-34-002	
#3 Finger Pin	SP-34-003	
#4 Finger Pin	SP-34-004	
#5 Finger Pin	SP-34-005	
#6 Finger Pin	SP-34-006	
#7 Finger Pin	SP-34-058	
Finger Pin Spring	SP-C603-951	
Everest Check Pin Spring	SP-C603-951	
Sidebar	SP-C603-950	

Top, Master & Bottom pins can be used on Primus & Everest Primus "Controlled Access" and Schlage Standard & Everest Cylinders.


## Regular & Primus Pins and Springs

	Original No.	*LAB Stock No.
#1 Top Pin	34-101	LB-SC-34-101
#2 Top Pin	34-102	LB-SC-34-102
#3 Top Pin	34-103	LB-SC-34-103
#2 Master Pin	34-202	LB-SC-34-202
#3 Master Pin	34-203	LB-SC-34-203
#4 Master Pin	34-204	LB-SC-34-204
#5 Master Pin	34-205	LB-SC-34-205
#6 Master Pin	34-206	LB-SC-34-206
#7 Master Pin	34-207	LB-SC-34-207
#8 Master Pin	34-208	LB-SC-34-208
#9 Master Pin	34-209	LB-SC-34-209
#0 Bottom Pin	34-300	LB-SC-34-300
#1 Bottom Pin	34-301	LB-SC-34-301
#2 Bottom Pin	34-302	LB-SC-34-302
#3 Bottom Pin	34-303	LB-SC-34-303
#4 Bottom Pin	34-304	LB-SC-34-304
#5 Bottom Pin	34-305	LB-SC-34-305
#6 Bottom Pin	34-306	LB-SC-34-306
#7 Bottom Pin	34-307	LB-SC-34-307
#8 Bottom Pin	34-308	LB-SC-34-308
#9 Bottom Pin	34-309	LB-SC-34-309

\*LAB "Original Pins for Schlage". Sold in plastic Vials.

<b>F Series Compressible Cylinder</b>	Stock No.
Top T-Pin	SC-F506-451
Removable Cap	SC-F506-452
T-Pin Top Spring	SC-F506-453


<b>Pins and Springs</b>	Stock No.
Pin Tumbler Spring	LB-SPR-115L
Cap Retainer Pin Spring	LB-SC-C503-115
SFIC 20S Tumbler Spring	SC-C504-114
Full Size I/C Control Bottom Pin	SC-C603-967
Retainer Cap Pin	LB-SC-C503-116
Retainer Cap	SC-C503-118



### STOCK NO. DESCRIPTION

<b>MORTISE CYLINDER CAMS</b>	
IL-863-00-10	Yale Cam
IL-863A-00-10	Adams Rite Cam
IL-863G-00-10	Standard Cam
IL-863M-00-10	Schlage "L" Cam
IL-863N-00-10	Sargent/Yale Cam
IL-863R-00-10	Lori Deadbolt
IL-863S-00-10	Corbin/Russwin/Best Cloverleaf

<b>TAILPIECES</b>	
IL-862-00-10	Standard Break-off Tailpiece 1-3/4"
IL-862A-00-10	Extra Long Tailpiece 2-3/8"




REMEMBER: If you don't see what you need, please contact us with your requirements.


# MISCELLANEOUS PARTS

## SIMPLEX 900 SERIES LOCK PARTS

# SIMPLEX®



**SI-74080-000-01 (852)**  
M-55 combination chamber for all locks  
(7/8" x 15/16" x 3-7/8")



**SI-74167-1-000-01** For Deadlock  
**SI-74163-1-000-01** For Night Latch  
Gear plate assembly for key bypass models.




**SI-74471-04-01** Brass  
**SI-74471-26D-01** Chrome  
Inside operating knob assembly, including attaching hardware for all door locks.



**SI-74470-04-01** Brass  
**SI-74470-26D-01** Chrome  
Outside operating knob assembly, including attaching hardware for all door locks.



**SI-34011-04-01** Brass  
**SI-34011-26D-01** Chrome  
Latch bolt for night latch (NL) locks.




**SI-74124-1-04-01** 1-3/8" locks-Brass  
**SI-74125-1-26D-01** 1-3/4" locks-Chrome  
Center plate and barrel assembly with five black nylon buttons in a circle.



**SI-54133-04-01** Brass (Limited Supply)  
**SI-54133-26D-01** Chrome (Limited Supply)  
Special tamper-proof combination change access screw.




**SI-805-26D-41** Chrome  
**Face Plate Shield**—Prevents observation of pushbutton operations and maintains secrecy of the combination. For use with Models DL and NL. NOT for use with key bypass models.



**SI-74437-26D-01** Chrome (Limited Supply)  
**Inside Lever Handle**—This accessory permits unlocking the Simplex latch model and pulling the door open with one hand. Existing locks can be converted by simply removing standard finger operated lever and installing the 2-1/2" lever handle.

## SIMPLEX 1000 SERIES LOCK PARTS



**SI-74366-000-01** (Old #201429-000-01)  
M-56/M-63 combination chamber for 1000, L1000, 3000, 8100 Series.

## SIMPLEX 1000 SERIES SERVICE KITS

# SIMPLEX®

**If you handle the 1000 Series Pushbutton locks then these Service Kits are a must!! These kits are packaged with all the parts usually required to recondition or refurbish these locks**

### 1000 Series Service Kit



**Stock No. SI-203035-000-01**  
**Includes:**  
Combination Chamber  
Clutch Assembly  
Chamber Shaft Bearing  
Stop Plate  
Knob Return Spring  
Key Override Drive Shaft  
Standard Drive Shaft  
Key Override Drive Shaft 1-3/8"  
Standard Drive Shaft 1-3/8"

### L1000 Series Service Kit



**Stock No. SI-203037-000-01** Right Hand  
**SI-203038-000-01** Left Hand  
**Includes:**  
Combination Chamber  
Clutch Assembly  
Chamber Shaft Bearing  
Stop Plate  
Extension Spring  
Fixed Sleeve  
Drive Shaft (key override)  
Drive Shaft (no key override)  
Drive Shaft 1-3/8"(key override)  
Drive Shaft 1-3/8" (no key override)

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

**423**v2  
(PL-41)